Mercury Gear Lube – High Performance **Material Safety Data Sheet**

MSDS No. 041-4704Q

Mercury Marine W6250 W Pioneer Rd. P.O. Box 1939

Fond du Lac, WI 54936-1939 Revision Date 12/13/2007

1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

: Gear Oil. Trade name Identification of the product : Lubricant oil.

: See product data sheet for detailed application.

Emergency phone no : CHEMTREC: 800-424-9300 (USA)

Information: : (920) 929-5000

Product Number: 92-858064QB1, 858065QB1, 858067QB1, 858068Q 1, 858068QC1, 858067Q 1, 858067QC1, 858066Q01, 858065Q 1, 858065QC1, 858064Q 1, 858064QC1, 802851Q02, 802851Q 1, 802854Q 1, 802854Q40, 802856Q 1, 802857Q 1, 802858Q 1, 816026, 816026A 2, 816026A 4, 816026A16, 816026A55, 850742A 1, 850743A 1, 850743A40, 858008Q01

2 COMPOSITION / INFORMATION ON INGREDIENTS

: Mineral oil <3% DMSO Extractables, Additives. **Mixture**

Substance name		Content	CAS No	EC No	Index No	Classification ***	
Tris(dipentyldithiocarbamato-S,S')	:	1 to 5 %	15890-25-2	240-028-2	051-003-00-9	Xn; R20/22	
antimony						N: R51-53	

SARA Section 313 Chemical Listing: See Heading 15.

3 HAZARDS IDENTIFICATION

Primary route of exposure : Inhalation. Eyes. Ingestion. Skin.

: Symptoms may include dizziness, headache, nausea and loss of co-ordination. Symptoms relating to use

 Inhalation : Harmful by inhalation and if swallowed.

 Skin contact : May produce skin irritation. May be harmful if absorbed.

: May cause eye irritation. Eye contact

 Ingestion : Harmful by inhalation and if swallowed.

NFPA - WHMIS Hazard Ratings (USA- : Health : 2 - WARNING : May be harmful if inhaled or absorbed.

Canada)

Flammability: 1 - Combustible if heated.

Reactivity: 0 - Stable: Not reactive when mixed with water.

Special Notice Key: -- - ---

FIRST AID MEASURES

First aid measures : If overcome by exposure, remove victim to fresh air immediately. Symptoms may

include dizziness, headache, nausea and loss of co-ordination. Seek medical

advice (show the label where possible).

: In case of accident by inhalation: remove casualty to fresh air and keep at rest. Call Inhalation

a physician.

: Wash skin thoroughly with mild soap and water. Seek medical attention if ill effect Skin contact

or irritation develops.

: Immediately flush eyes thoroughly with water for at least 15 minutes. Ensure Eye contact

adequate flushing of eyes by separating eyelids with the fingers. Obtain emergency

medical attention if pain, blinking, tears or redness persist.

^{***} List of relevant R phrases. See Heading 16: OTHER INFORMATION

4 FIRST AID MEASURES (continued)

• Ingestion : Rinse mouth with water, do not induce vomiting, call a doctor.

Note to physician : Treat symptomatically.

5 FIRE-FIGHTING MEASURES

Flammable class : Not flammable.

Hazardous combustion products : Incomplete combustion may form carbon monoxide, carbon dioxide, gas.

• Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

• Unsuitable extinguishing media : Use of heavy stream of water may spread fire.

Protection against fire : Use self-contained breathing apparatus when in close proximity to fire.

Special procedures : Fight fire from safe distance and protected location.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions : Eliminate every possible source of ignition. Ensure adequate ventilation. Ventilate

confined spaces before entering. Equip cleanup crew with proper protection.

Environmental precautions : Prevent entry to sewers and public waters.

Clean up methods : Clean up any spills as soon as possible, using an absorbent material to collect it.

Take up small spills with dry chemical absorbent. Take up large spills with pump or

vacuum. Sweep or shovel spills into appropriate container for disposal. Dispose in

a safe manner in accordance with local/national regulations.

7 HANDLING AND STORAGE

Precautions in handling and storage: When using, do not eat, drink, or smoke.

Storage : Store in dry, cool, well-ventilated area.

Provide adequate ventilation to minimize dust and/or vapour concentrations.

Keep only in the original container.

Storage - away from : Strong oxidizers. Heat sources. Sparks. Open flame. Prolonged exposure to

sunlight. Combustible material. Keep away from ignition sources including static

discharges.

Handling: Handle in accordance with good industrial hygiene and safety procedures.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection : Ensure adequate ventilation.

Respiratory protection
 Where exposure through inhalation may occur from use, approved respiratory

protection equipment is recommended.

• Hand protection : For prolonged contact, use nitrile or neoprene gloves or other material resistant to

petroleum oils.

• Skin protection : If skin contact or contamination of clothing is likely, protective clothing should be

worn.

• Eye protection : Chemical goggles or safety glasses. (ANSI Z-87 approved safety glasses with side

shields or equivalent chemical splash goggles.)

8 EXPOSURE CONTROLS / PERSONAL PROTECTION (continued)

 Ingestion : When using, do not eat, drink, or smoke.

Industrial hygiene : Handle in accordance with good industrial hygiene and safety procedures.

: Tris(dipentyldithiocarbamato-S,S')antimony: TLV© -TWA [mg/m³]: 0.5 (as **Occupational Exposure Limits**

Antimony compound)

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical state at 20 °C : Liquid. : Blue-green. Colour : Mild. Odo(u)r : 898 kg/m3 **Density** : 152 cSt @40°C **Viscosity** Solubility in water : Negligible.

Solubility in: : Oil.

: 170 (338°F) PMCC Flash point [°C] (ASTM D 93)

Explosion limits : No reliable data available. : No reliable data available. **Evaporation rate**

10 STABILITY AND REACTIVITY

: Stable under normal conditions. Stability and reactivity

Hazardous decomposition products : Carbon dioxide, carbon monoxide, & others.

: Strong oxidizers. Materials to avoid

Conditions to avoid : Combustible material. Heat. Prolonged exposure to sunlight. Sparks. Open flame.

Keep away from ignition sources including static discharges.

11 TOXICOLOGICAL INFORMATION

Toxicity information : This product has not been tested for environmental effects.

 Inhalation : Harmful by inhalation and if swallowed.

 Dermal : May produce skin irritation.

May be harmful if absorbed.

 Ocular : May cause eye irritation.

 Ingestion : Harmful by inhalation and if swallowed.

: Product not tested. No reliable data available. Rat oral LD50 [mg/kg] : Product not tested. No reliable data available. Rabbit dermal LD50 [mg/kg]

12 ECOLOGICAL INFORMATION

: Product not tested. No reliable data available. Low mobility (soil). Material **Ecological effects information**

insoluble in water.

: Product not tested. No reliable data available. **Bioaccumulative potential**

12 ECOLOGICAL INFORMATION (continued)

Persistence - degradability
 Product not tested. No reliable data available.

13 DISPOSAL CONSIDERATIONS

General : Dispose in a safe manner in accordance with local/national regulations.

Disposal method : Material, as supplied, is not a U.S. EPA hazardous waste. Some states may

regulate the disposal of petroleum and petroleum products. DO NOT INCINERATE AEROSOL CANS. Processing, use, or contamination may make this information

inaccurate or incomplete.

14 TRANSPORT INFORMATION

DOT (USA) : Not regulated.

15 REGULATORY INFORMATION

EC Classification : Xn; R20/22

* EC Labelling

* • Symbol(s) : Xn : Harmful

R Phrase(s)
 R20/22 - Harmful by inhalation and if swallowed.

Other : Certified Kosher by Tablet K.

Customers are reminded to check their state list of hazardous chemicals for proper

disclosure and reporting of chemical substances.

SARA TITLE III Section 311/312 : Product not tested.

Acute: Not tested. Chronic: Not tested.

Fire: No Reactivity: No Pressure: No

SARA TITLE III Section 313 : Antimony Compound, N010: 1-5%

New Jersey Right-To-Know : Antimony Compound, N010

US Toxic Substances Control Act -

TSCA

: All components of this product are listed on the TSCA inventory or otherwise

comply with TSCA premanufacture notification requirements.

State of California : WARNING: This product contains chemicals known to the State of California to

cause cancer. • Ethylbenzene CAS 100-41-4

• 1,4-Dioxane CAS 123-91-1

16 OTHER INFORMATION

Recommended uses and restrictions : See product data sheet for detailed application. Contact the producer or distributor.

List of relevant R phrases (heading 3) : R20/22 - Harmful by inhalation and if swallowed.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

NOTE : December 13, 2007: Revised (*)

16 OTHER INFORMATION (continued)

Revision : 2

Print date : 12 / 13 / 2007

Manufacturer : Bel-Ray Company, Inc.

: P.O. Box 526, Farmingdale NJ 07727

Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Details given in this document are believed to be correct at the time of going to press. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document