

Brake & Parts Clean, Non-Chlorinated

Revision: 12/14/2016

Supersedes Revision: 08/22/2014

Page: 1

1. Product and Company Identification

C111C **Product Code:**

Brake & Parts Clean, Non-Chlorinated **Product Name:**

CYCLO INDUSTRIES, INC. **Phone Number: Company Name:** 902 SOUTH US HIGHWAY 1 (800)843-7813

JUPITER, FL 33477

Web site address: www.cyclo.com ehs@cyclo.com **Email address:**

First Aid Emergency (800)752-7869 **Emergency Contact:**

> CHEMTREC (703) 527-3887 (800)424-9300

Information: First Aid Emergency (Outside U.S.) (312)906-6194

2. Hazards Identification

Flammable Liquids, Category 2

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Toxic To Reproduction, Category 2

Specific Target Organ Toxicity (single exposure), Category 3 Specific Target Organ Toxicity (repeated exposure), Category 2

Aspiration Toxicity, Category 1







GHS Signal Word: Danger

GHS Hazard Phrases: H225: Highly flammable liquid and vapor.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H361: Suspected of damaging fertility or the unborn child.

H335: May cause respiratory irritation.

H373: May cause damage to organs through prolonged or repeated exposure.

H304: May be fatal if swallowed and enters airways. H280: Contents under pressure. May explode if heated.

P210: Keep away from heat/sparks/open flames/hot surfaces. **GHS Precaution Phrases:**

P280: Wear protective gloves/clothing and eye/face protection as specified by the

manufacturer/supplier or the competent authority. P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area. P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P273: Avoid release to the environment. P233: Keep container tightly closed.

P370+378: In case of fire, use foam, alcohol foam, carbon dioxide, dry chemical or water **GHS Response Phrases:**

fog for extinction.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.



Page: 2

Revision: 12/14/2016

Supersedes Revision: 08/22/2014

P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331: Do NOT induce vomiting.

P370+378: In case of fire, use ... for extinction ... appropriate media specified by the manufacturer/supplier or the competent authority - if water increases risk.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P321: Specific treatment (see ... on this label) ... reference to supplemental first aid

instruction - if immediate administration of antidote is required. P332+313: If skin irritation occurs, get medical advice/attention.

P362: Take off contaminated clothing and wash before re-use.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists, get medical advice/attention.

P308+313: IF exposed or concerned: Get medical attention/advice.

P309+311: Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

P314: Get medical attention/advice if you feel unwell.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

GHS Storage and Disposal Phrases:

P501: Dispose of contents/container in accordance with

local/regional/national/international regulation.

P403+233: Store container tightly closed in well-ventilated place.

P403+235: Store in cool/well-ventilated place.

P501: Dispose of contents/container to ... (in accordance with

local/regional/national/international regulation).

P405: Store locked up.

P403+233: Store container tightly closed in well-ventilated place - if product is as volatile

as to generate hazardous atmosphere.

Potential Health Effects (Acute and Chronic):

No data available.

Medical Conditions Generally Acute & chronic liver & kidney disease, anemia. Aggravated By Exposure:

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name)		Concentration	
67-64-1	Acetone	40.0 -50.0 %	
108-88-3	Toluene	20.0 -30.0 %	
142-82-5	Heptane	10.0 -20.0 %	
124-38-9	Carbon dioxide	5.0 -15.0 %	



Page: 3

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

4. First Aid Measures

Emergency and First Aid Procedures:

If ingested, seek medical attention immediately. Aspiration hazard: Do not induce vomiting or give anything by mouth because this material can enter the lungs and cause severe lung damage. Do not leave individual unattended. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Wash skin with soap and water. Remove contaminated clothing and shoes, and launder before reuse. If in eyes, rinse cautiously with water for several minutes, Remove contact lenses, if present and easy to do. Continue rinsing. Call physician immediately if adverse reaction occurs.

5. Fire Fighting Measures

Flammability Classification: NFPA Level 2 Aerosol

Flash Pt: 1.00 F (-17.2 C) Method Used: TAG Closed Cup

Explosive Limits: LEL: 1.2 UEL: 13

Autoignition Pt: No data.

Suitable Extinguishing Media: Foam, alcohol foam, carbon dioxide, dry chemical, water fog.

Fire Fighting Instructions: Wear approved positive-pressure self-contained breathing apparatus and protective

clothing. Vapor may cause flash fire.

Flammable Properties and

Hazards:

Water may be ineffective. Water may be used to cool containers to prevent pressure build-up and explosion when exposed to extreme heat. If water is used, fog nozzles preferred. Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents. Vapor accumulation can flash or explode if

ignited.

Hazardous Combustion

Products:

Carbon dioxide, carbon monoxide, formaldehyde.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Wear appropriate protective clothing and equipment to prevent skin and eye contact. Contain any liquid from leaking containers. Remove sources of ignition. Increase area ventilation. Sweep or gather up material and place in proper container for disposal or recovery. Do not puncture or incinerate container. Contents under pressure. Clean up using dry procedures; avoid dusting. Do not allow to enter sanitary drains, sewer or surface and subsurface waters.

7. Handling and Storage

Precautions To Be Taken in Handling:

Keep away from heat/sparks/open flames/hot surfaces. Wear protective gloves/clothing and eye/face protection as specified by the manufacturer/supplier or the competent authority. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area.

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid release to the environment.

Keep out of the reach of children.

Precautions To Be Taken in Storing:

Keep container tightly closed. Do not store above 120 degrees F. Do not store in

passenger compartment of automobile.

8. Exposure Controls/Personal Protection

Brake & Parts Clean, Non-Chlorinated

Revision: 12/14/2016

Page: 4

Supersedes Revision: 08/22/2014

CAS# **Partial Chemical Name OSHA TWA ACGIH TWA Other Limits** 67-64-1 PEL: 1000 ppm TLV: 500 ppm No data. Acetone STEL: 750 ppm 108-88-3 Toluene PEL: 200 ppm TLV: 50 ppm No data. STEL: 500 ppm/(10min) CEIL: 300 ppm PEL: 500 ppm No data. 142-82-5 Heptane TLV: 400 ppm 124-38-9 Carbon dioxide PEL: 5000 ppm TLV: 5000 ppm No data. STEL: 30,000 ppm

Respiratory Equipment

Use an approved NIOSH organic vapor respirator below the TLV. If TLV is exceeded or

(Specify Type):

overexposure is likely, use positive pressure self contained breathing apparatus.

Eye Protection: Wear safety glasses or goggles to protect against exposure.

Protective Gloves: Use chemical resistant gloves for prolonged skin contact.

Other Protective Clothing: Ru

Rubber apron.

Engineering Controls

Exhaust ventilation. Showers. Eyewash stations.

(Ventilation etc.):

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear, colorless spray/mist. Typical solvent odor.

pH: NP

Melting Point: No data.

Boiling Point: 133.00 F (56.1 C) - 231.00 F (110.6 C)

Flash Pt: 1.00 F (-17.2 C) Method Used: TAG Closed Cup

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: 1.2 UEL: 13

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water = 1): .80

Solubility in Water: Slight

Octanol/Water Partition No data.

Coefficient:

Percent Volatile: 44.2 % by weight.

Autoignition Pt: No data.

Decomposition Temperature: No data.

Viscosity: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Keep away from heat, sparks and flame. Temperature over 120 degrees F.

Instability:

Incompatibility - Materials To Strong acids. Strong oxidizing agents.

Avoid:

Hazardous Decomposition or Carbon monoxide. Carbon dioxide.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:



Revision: 12/14/2016 Supersedes Revision: 08/22/2014

Page: 5

Conditions To Avoid -**Hazardous Reactions:** No data available.

11. Toxicological Information

CAS# 142-82-5: **Toxicological Information:**

Other Studies:, TDLo, Oral, Rat, 60.00 GM/KG, 3 W.

Results:

Kidney, Ureter, Bladder: Changes in liver weight.

- National Technical Information Service, Vol/p/yr: OTS0571116,

Other Studies:, TDLo, Oral, Rat, 260.0 GM/KG, 13 W.

Results:

Kidney, Ureter, Bladder: Changes in bladder weight.

Endocrine: Hypoglycemia.

Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

- National Technical Information Service, Vol/p/yr: OTS0571116,

Other Studies:, TCLo, Inhalation, Rat, 4000. PPM, 6 D.

Results:

Brain and Coverings: Recordings from specific areas of CNS.

Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Ear: Changes in cochlear structure or function.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

 Pharmacology and Toxicology, Munksgaard International Pub., POB 2148, Copenhagen K Denmark, Vol/p/yr: 76,41, 1995

Other Studies:, TDLo, Intraperitoneal, Rat, 9625. MG/KG, 7 D.

Results:

Liver: Other changes.

Blood:Changes in serum composition (e.g.

Biochemical: Enzyme inhibition, induction, or change in blood or tissue levels: Multiple

- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000 AE Netherlands, Vol/p/yr: 14,169, 1982

Other Studies:, TDLo, Intraperitoneal, Rat, 8840. MG/KG, 45 D.

Results:

Liver: Other changes.

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:

Phosphatases.

Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: Hepatic microsomal mixed oxidase (dealkylation, hydroxylation, etc.)

- JAT, Journal of Applied Toxicology., John Wiley & Sons Ltd., Baffins Lane, Chichester, W.Sussex PO19 1UD UK, Vol/p/yr: 8,81, 1988

Acute toxicity, TCLo, Inhalation, Human, 1000. PPM, 6 M.

Results:

Behavioral: Hallucinations, distorted perceptions.

- "U.S. Bureau of Mines Report of Investigation No. 2979," Patty, F.A., and W.P. Yant, 1929 Volume, Vol/p/yr: 2979,-, 1929

Acute toxicity, LC50, Inhalation, Rat, 103.0 GM/M3, 4 H.

Results:



Page: 6

Supersedes Revision: 08/22/2014

Revision: 12/14/2016

Behavioral: Change in motor activity (specific assay).

Behavioral: Alteration of classical conditioning.

 Gigiena Truda i Professional'nye Zabolevaniya.(Labor Hygiene and Occupational Disease), V/O Mezhdunarodnaya Kniga, Moscow 113095 Russia, Vol/p/yr: 32(10),23, 1988

Acute toxicity, LCLO, Inhalation, Mouse, 59.00 GM/M3, 41 M.

Results:

Behavioral: Convulsions or effect on seizure threshold.

- Biochemische Zeitschrift., For publisher information, see EJBCAI, Berlin Germany,

Vol/p/yr: 115,235, 1921

Acute toxicity, LD50, Intravenous, Mouse, 222.0 MG/KG.

Results:

Brain and Coverings: Changes in circulation (hemorrhage,thrombosis, etc.

Lungs, Thorax, or Respiration: Dyspnea.

Gastrointestinal: Nausea or vomiting.

- Journal of Pharmaceutical Sciences., American Pharmaceutical Assoc., 2215 Constitution Ave., NW, Washington, DC 20037, Vol/p/yr: 67,566, 1978

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
67-64-1	Acetone	n.a.	n.a.	A4	n.a.
108-88-3	Toluene	n.a.	3	A4	n.a.
142-82-5	Heptane	n.a.	n.a.	n.a.	n.a.
124-38-9	Carbon dioxide	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Information:

CAS# 142-82-5:

Effective concentration to 50% of test organisms., Water Flea (Daphnia magna), 82500. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil andOil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

LC50, Water Flea (Daphnia magna), 50.00 MG/L, 24 H, Intoxication,, Water temperature: 20.00 C (68.0 F) - 22.00 C (71.6 F) C, pH: 7.70, Hardness: 16.00 dH.

Results:

No observed effect.

- Results of the Damaging Effect of Water Pollutants on Daphnia magna (Befunde der Schadwirkung Wassergefahrdender Stoffe Gegen Daphnia magna), Bringmann, G., and R. Kuhn, 1977

LC50, Western Mosquitofish (Gambusia affinis), adult(s), 4924000. UG/L, 48 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

Age Effects.

- Toxicity to Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957



Brake & Parts Clean, Non-Chlorinated

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

Page: 7

LC50, Western Mosquitofish (Gambusia affinis), adult(s), 4924000. UG/L, 24 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

Age Effects.

- Toxicity to Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

Not reported., Western Mosquitofish (Gambusia affinis), adult(s), 5600000. UG/L, 96 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90. Results:

No observed effect.

- Toxicity to Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

LC50, Western Mosquitofish (Gambusia affinis), adult(s), 4924000. UG/L, 96 H, Mortality, Water temperature: 20.00 C (68.0 F) - 27.00 C (80.6 F) C, pH: 8.90.

Results:

No observed effect.

- Toxicity to Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E., W.C. Greer, and R. Lasater, 1957

Not reported., Coho Salmon, Silver Salmon (Oncorhynchus kisutch), 100000. UG/L, 96 H, Mortality, Water temperature: 8.00 C (46.4 F) C, pH: 8.10.

Results:

Age Effects.

- Effects of Some Components of Crude Oil on Young Coho Salmon, Morrow, J.E., R.L. Gritz, and M.P. Kirton, 1975

LC50, Mozambique Tilapia (Oreochromis mossambicus), 375000. UG/L, 96 H, Mortality, Water temperature: 27.80 C (82.0 F) C.

Results:

No observed effect.

- Acute Toxicity of n-Heptane and n-Hexane on Worm and Fish, Ghatak, D.B., M.M. Hossain, and S.K. Konar, 1988

LC50, Midge Family (Chironomidae), larva(e), 838000. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C, pH: 7.00, Hardness: 260.00 MG/L.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil andOil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

Effective concentration to 50% of test organisms., Algae (Algae), 1500. UG/L, 8 H, Physiology.

Results:

No observed effect.

- Gulf Underwater Flare Experiment (GUFEX): Effects of Hydrocarbons on Phytoplankton, Brooks, J.M., G.A. Fryxell, D.F. Reid, and W.M. Sackett, 1977

Not reported., Pacific Oyster (Crassostrea gigas), egg(s), 3400000. UG/L, 48 H, Mortality, Water temperature: 20.00 C (68.0 F) - 21.50 C (70.7 F) C.

Results:

No observed effect.



Page: 8

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

- The Effect of Alaskan Crude Oil and Selected Hydrocarbon Compounds on Embryonic Development of the Pacfic Oyster, Crassostrea gigas, Legore, R.S., 1974

LC50, Oligochaete (Branchiura sowerbyi), 2500000. UG/L, 96 H, Mortality, Water temperature: 27.80 C (82.0 F) C.

Results:

No observed effect.

- Acute Toxicity of n-Heptane and n-Hexane on Worm and Fish, Ghatak, D.B., M.M. Hossain, and S.K. Konar, 1988

Effective concentration to 50% of test organisms., Snail (Viviparus bengalensis), 472000. UG/L, 96 H, Intoxication,, Water temperature: 28.00 C (82.4 F) C.

Results:

No observed effect.

- Acute Toxicity of Petroleum Products, Crude Oil andOil Refinery Effluent on Plankton, Benthic Invertebrates and Fish, Das, P.K.M.K., and S.K. Konar, 1988

Lethal concentration to 0% of test organisms., Carp (Leuciscus idus ssp. melanotus), 220.0 MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

LC50, Carp (Leuciscus idus ssp. melanotus), 270.0 MG/L, 48 H, Mortality. Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 100% of test organisms., Carp (Leuciscus idus ssp. melanotus), 350.0 MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 0% of test organisms., Carp (Leuciscus idus ssp. melanotus), 1370. MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

LC50, Carp (Leuciscus idus ssp. melanotus), 2940. MG/L, 48 H, Mortality. Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen



Brake & Parts Clean, Non-Chlorinated

Revision: 12/14/2016 Supersedes Revision: 08/22/2014

Page: 9

auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

Lethal concentration to 100% of test organisms., Carp (Leuciscus idus ssp. melanotus), 3420. MG/L, 48 H, Mortality.

Results:

No observed effect.

- Results of the Investigation of 200 Chemical Compounds for Acute Fish Toxicity with the Golden Orfe Test (Ergebnisse der Untersuchung von 200 Chemischen Verbindungen auf Akute Fischtoxizitat mit dem Goldorfentest), Juhnke, I., and D. Luedemann, 1978

13. Disposal Considerations

Waste Disposal Method: Dispose of contents/container in accordance with local/regional/national/international

regulation.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Consumer Commodity **DOT Hazard Class:** ORM-D ORM-D

UN/NA Number:

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Aerosols, Ltd. Qty.

1950 **UN Number:**

Hazard Class: N.A. **ADR Classification:** 2

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Aerosols, Ltd. Qty.

UN Number: 1950 **Packing Group:**

Hazard Class: N.A. IMDG Classification: 2.1

IMDG MFAG Number:

IMDG EMS Page: Marine Pollutant: No

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Aerosols, flammable, 2.1, Ltd Qty

(Packing Instruction Y203 Applies)

1950 **UN Number:**

IATA Classification: Hazard Class: N.A. 2.1

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS# **Hazardous Components (Chemical Name)** S. 302 (EHS) S. 304 RQ S. 313 (TRI) Acetone Yes 5000 LB 67-64-1 No No 108-88-3 Toluene Nο Yes 1000 LB Yes 142-82-5 Heptane No No No 124-38-9 Carbon dioxide No No No

Other US EPA or State Lists **Hazardous Components (Chemical Name)** CAS#

67-64-1 CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -Acetone

> Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: No; NJ EHS: No; NY Part 597: Yes; PA HSL: Yes - E; SC TAP: No;

WI Air: Yes

108-88-3 Toluene CAA HAP, ODC: HAP; CWA NPDES: Yes; TSCA: Yes -



67-64-1

SAFETY DATA SHEET

Brake & Parts Clean, Non-Chlorinated

Revision: 12/14/2016

Page: 10

Supersedes Revision: 08/22/2014

Inventory, 8A CAIR; CA PROP.65: Yes; CA TAC, Title 8: TAC, Title 8: MA Oil/HazMat: Yes: MI CMR, Part 5: CMR, Part 5: NC TAP: Yes; NJ EHS: Yes - 1866; NY Part 597: Yes; PA

HSL: Yes - E; SC TAP: Yes; WI Air: Yes

142-82-5 Heptane CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -

> Inventory, 4 Test, 8A PAIR; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC

TAP: No; WI Air: No

124-38-9 Carbon dioxide CAA HAP, ODC: No: CWA NPDES: No: TSCA: Yes -

> Inventory; CA PROP.65: No; CA TAC, Title 8: Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air:

Yes

Hazardous Components (Chemical Name) CAS# **International Regulatory Lists**

> Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Acetone

108-88-3 Toluene Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:

Yes

142-82-5 Heptane Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:

124-38-9 Carbon dioxide Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA:

Yes

16. Other Information

12/14/2016 **Revision Date:**

Hazard Rating System:

Instability Flammability Health Special Hazard NFPA:

Additional Information About Not for sale in CA, UT, DE, NH.

This Product:

Company Policy or

Disclaimer:

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.