

SAFETY DATA SHEET**Product Trade Name:** CARBONATE COMPLETION ACID SOUR

Revision Date: 23-Jun-2015

Revision Number: 7

1. Identification**1.1. Product Identifier**

Product Trade Name: CARBONATE COMPLETION ACID SOUR
Synonyms: None
Chemical Family: Inorganic acid
Internal ID Code HM004929

1.2 Recommended use and restrictions on use

Application: Acid
Uses Advised Against No information available

1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier Halliburton Energy Services Inc.
P.O. Box 1431
Duncan, Oklahoma 73536-0431
Emergency Telephone: (281) 575-5000

Prepared By Chemical Stewardship
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number

Emergency Telephone Number (281) 575-5000

2. Hazard(s) Identification**2.1 Classification in accordance with paragraph (d) of §1910.1200**

Skin Corrosion / Irritation	Category 1 B - H314
Serious Eye Damage / Eye Irritation	Category 1 - H318
Skin Sensitization	Category 1 - H317
Substances/mixtures corrosive to metal	Category 1 - H290

2.2. Label Elements**Hazard Pictograms****Signal Word**

Danger

Hazard Statements	H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction H318 - Causes serious eye damage
--------------------------	---

Precautionary Statements

Prevention	P234 - Keep only in original container P260 - Do not breathe dust/fume/gas/mist/vapors/spray P264 - Wash face, hands and any exposed skin thoroughly after handling P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection
Response	P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P363 - Wash contaminated clothing before reuse P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P310 - Immediately call a POISON CENTER or doctor/physician P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P390 - Absorb spillage to prevent material damage
Storage	P405 - Store locked up P406 - Store in corrosive resistant container with a resistant inner liner.
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

Contains Substances	CAS Number
Hydrochloric acid	7647-01-0
Hexamethylenetetramine	100-97-0

2.3 Hazards not otherwise classified

None known

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
Hydrochloric acid	7647-01-0	10 - 30%	Skin Corr. 1B (H314) Eye Corr. 1 (H318) STOT SE 3 (H335) Met. Corr. 1 (H290)
Hexamethylenetetramine	100-97-0	0.1 - 1%	Skin Sens. 1 (H317) Flam. Sol. 2 (H228)

The exact percentage (concentration) of the composition has been withheld as proprietary.

4. First-Aid Measures**4.1. Description of first aid measures**

Inhalation	If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
Eyes	Immediately flush eyes with large amounts of water for at least 30 minutes. Seek prompt medical attention.
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 30 minutes and remove contaminated clothing, shoes and leather goods immediately. Get medical attention immediately.
Ingestion	Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2 Most important symptoms/effects, acute and delayed

Causes severe eye irritation which may damage tissue. Causes severe skin irritation with tissue destruction. May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

Do NOT spray pool fires directly with water. A solid stream of water directed into hot burning liquid can cause splattering.

5.2 Specific hazards arising from the substance or mixture

Special Exposure Hazards

May form explosive mixtures with strong alkalis. Decomposition in fire may produce harmful gases. Reaction with steel and certain other metals generates flammable hydrogen gas. Do not allow runoff to enter waterways.

5.3 Special protective equipment and precautions for fire-fighters

Special Protective Equipment for Fire-Fighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment.

See Section 8 for additional information

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Neutralize to pH of 6-8. Scoop up and remove.

7. Handling and storage

7.1. Precautions for Safe Handling

Handling Precautions

Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after use. Launder contaminated clothing before reuse.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from alkalis. Store in a cool well ventilated area. Keep container closed when not in use.

8. Exposure Controls/Personal Protection

8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Hydrochloric acid	7647-01-0	TWA: 5 ppm (Ceiling)	TWA: 2 ppm (Ceiling)
Hexamethylenetetramine	100-97-0	Not applicable	Not applicable

8.2 Appropriate engineering controls

Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

8.3 Individual protection measures, such as personal protective equipment

Personal Protective Equipment	If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.
Respiratory Protection	Organic vapor/acid gas respirator.
Hand Protection	Impervious rubber gloves.
Skin Protection	Full protective chemical resistant clothing. Rubber boots.
Eye Protection	Chemical goggles; also wear a face shield if splashing hazard exists.
Other Precautions	Eyewash fountains and safety showers must be easily accessible.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid	Color: Clear
Odor: Pungent	Odor No information available

Property

Remarks/ - Method

pH:

Freezing Point/Range

Melting Point/Range

Boiling Point/Range

Flash Point

Flammability (solid, gas)

upper flammability limit

lower flammability limit

Evaporation rate

Vapor Pressure

Vapor Density

Specific Gravity

Water Solubility

Solubility in other solvents

Partition coefficient: n-octanol/water

Autoignition Temperature

Decomposition Temperature

Viscosity

Explosive Properties

Oxidizing Properties

Values

1

No data available

Miscible with water

No data available

No information available

No information available

9.2. Other information**VOC Content (%)**

No data available

10. Stability and Reactivity**10.1. Reactivity**

Not expected to be reactive.

10.2. Chemical Stability

Stable

10.3. Possibility of Hazardous Reactions

Will Not Occur

10.4. Conditions to Avoid

Excessive heat

10.5. Incompatible Materials

Strong alkalis.

10.6. Hazardous Decomposition Products

Flammable hydrogen gas. Chlorine. Hydrogen sulfide.

11. Toxicological Information**11.1 Information on likely routes of exposure****Principle Route of Exposure** Eye or skin contact, inhalation.**11.2 Symptoms related to the physical, chemical and toxicological characteristics****Acute Toxicity****Inhalation** May cause respiratory irritation.**Eye Contact** Causes severe eye irritation. May cause eye burns.**Skin Contact** Causes severe skin irritation. May cause skin burns.**Ingestion** Causes burns of the mouth, throat and stomach.**Chronic Effects/Carcinogenicity** Prolonged, excessive exposure may cause erosion of the teeth.**11.3 Toxicity data****Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrochloric acid	7647-01-0	No data available	5010 mg/kg (Rabbit) > 5010 mg/kg (Rabbit) 1449 mg/kg (Mouse)	3124 mg/L (Rat) 1h 3.2 mg/L (Mouse) 8.3 mg/L (Rat) 1405 mg/L (Rat) 554 mg/L (Mouse)
Hexamethylenetetramine	100-97-0	9200 mg/kg (Rat) >20,000 mg/kg (Rat)	> 2000 mg/kg (Rat)	No data available

Substances	CAS Number	Skin corrosion/irritation
Hydrochloric acid	7647-01-0	Causes severe burns
Hexamethylenetetramine	100-97-0	Not irritating to skin in rabbits.

Substances	CAS Number	Eye damage/irritation
Hydrochloric acid	7647-01-0	Causes severe burns

Hexamethylenetetramine	100-97-0	Non-irritating to rabbit's eye
Substances	CAS Number	Skin Sensitization
Hydrochloric acid	7647-01-0	Did not cause sensitization on laboratory animals (guinea pig)
Hexamethylenetetramine	100-97-0	May cause sensitization by skin contact (guinea pig) (mouse)
Substances	CAS Number	Respiratory Sensitization
Hydrochloric acid	7647-01-0	No information available
Hexamethylenetetramine	100-97-0	No data of sufficient quality are available.
Substances	CAS Number	Mutagenic Effects
Hydrochloric acid	7647-01-0	Not regarded as mutagenic.
Hexamethylenetetramine	100-97-0	While some in vitro tests were positive and/or equivocal, in vivo results were negative.
Substances	CAS Number	Carcinogenic Effects
Hydrochloric acid	7647-01-0	No data of sufficient quality are available.
Hexamethylenetetramine	100-97-0	Did not show carcinogenic effects in animal experiments
Substances	CAS Number	Reproductive toxicity
Hydrochloric acid	7647-01-0	Embryo and fetotoxicity has been observed in female rats exposed to maternally toxic levels of hydrogen chloride (450 mg/m ³ , 1hr.).
Hexamethylenetetramine	100-97-0	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Substances	CAS Number	STOT - single exposure
Hydrochloric acid	7647-01-0	May cause respiratory irritation.
Hexamethylenetetramine	100-97-0	No information available
Substances	CAS Number	STOT - repeated exposure
Hydrochloric acid	7647-01-0	No significant toxicity observed in animal studies at concentration requiring classification.
Hexamethylenetetramine	100-97-0	No significant toxicity observed in animal studies at concentration requiring classification.
Substances	CAS Number	Aspiration hazard
Hydrochloric acid	7647-01-0	Not applicable
Hexamethylenetetramine	100-97-0	Not applicable

12. Ecological Information

12.1. Toxicity

Ecotoxicity Effects

Product Ecotoxicity Data

No data available

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Hydrochloric acid	7647-01-0	No information available	LC50 282 mg/L (Gambusia affinis) LC50 20.5 mg/L (Lepomis macrochirus) LC50 (96h) 3.25 – 3.5 (pH) (Lepomis macrochirus)	EC50 (3h) >= 5 and <= 5.5 (pH) (Activated sludge, domestic)	EC50 (48h) 4.9 (pH) (Daphnia magna)

Hexamethylenetetramine	100-97-0	EC50 (72h) 2773.12 mg/L (Skeletonema costatum) EC50 (14d) 3000 mg/L (Pseudokirchnerella subcapitata)	TLM96 49800 mg/L (Pimephales promelas) LC50 (96h) 44600 - 55600 mg/L (Pimephales promelas) LC50 (96h) > 1800 mg/L (Scophthalmus maximus) LC50 (96h) 41000 mg/L (Lepomis macrochirus) LC50 (96h) 49000 (Cyprinodon variegatus)	No information available	TLM48 3600 mg/L (Daphnia magna) EC50 (48h) 29868 - 43390 mg/L (Daphnia magna) LC50 (48h) 36000 mg/L (Daphnia magna) LC50 (48h) 10000 mg/L (Acartia tonsa)
------------------------	----------	---	---	--------------------------	--

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Hydrochloric acid	7647-01-0	The methods for determining biodegradability are not applicable to inorganic substances.
Hexamethylenetetramine	100-97-0	(35% @ 28d)

12.3. Bioaccumulative potential

Substances	CAS Number	Log Pow
Hydrochloric acid	7647-01-0	0.25
Hexamethylenetetramine	100-97-0	-4.15

12.4. Mobility in soil

Substances	CAS Number	Mobility
Hydrochloric acid	7647-01-0	No information available
Hexamethylenetetramine	100-97-0	KOC = 55

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1. Waste treatment methods

Disposal Method Disposal should be made in accordance with federal, state, and local regulations.
Contaminated Packaging Follow all applicable national or local regulations.

14. Transport Information

US DOT

UN Number: UN1789
UN Proper Shipping Name: Hydrochloric Acid Solution
Transport Hazard Class(es): 8
Packing Group: II
Environmental Hazards: Not applicable
Reportable Quantity: RQ (Hydrochloric Acid - 15153 kg.)
NAERG: NAERG 157

US DOT Bulk

DOT (Bulk) Not applicable

Canadian TDG

UN Number: UN1789
UN Proper Shipping Name: Hydrochloric Acid Solution

Transport Hazard Class(es): 8

Packing Group: II

Environmental Hazards: Not applicable

IMDG/IMO

UN Number: UN1789

UN Proper Shipping Name: Hydrochloric Acid Solution

Transport Hazard Class(es): 8

Packing Group: II

Environmental Hazards: Not applicable

Reportable Quantity: RQ (Hydrochloric Acid - 15153 kg.)

EMS: EmS F-A, S-B

IATA/ICAO

UN Number: UN1789

UN Proper Shipping Name: Hydrochloric Acid Solution

Transport Hazard Class(es): 8

Packing Group: II

Environmental Hazards: Not applicable

Reportable Quantity: RQ (Hydrochloric Acid - 15153 kg.)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

Special Precautions for User: None

15. Regulatory Information

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely Hazardous Substances Not applicable

EPA SARA (311,312) Hazard Class Acute Health Hazard

EPA SARA (313) Chemicals This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity EPA Reportable Spill Quantity is 3809 Gallons based on Hydrochloric acid (CAS: 7647-01-0).

EPA RCRA Hazardous Waste Classification If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of:

Corrosivity D002

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

16. Other information

Preparation Information

Prepared By

Chemical Stewardship
Telephone: 1-580-251-4335
e-mail: fdunexchem@halliburton.com

Revision Date: 23-Jun-2015

Reason for Revision SDS sections updated:
2

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

Key or legend to abbreviations and acronyms

bw – body weight
CAS – Chemical Abstracts Service
EC50 – Effective Concentration 50%
ErC50 – Effective Concentration growth rate 50%
LC50 – Lethal Concentration 50%
LD50 – Lethal Dose 50%
LL50 – Lethal Loading 50%
mg/kg – milligram/kilogram
mg/L – milligram/liter
NIOSH – National Institute for Occupational Safety and Health
NTP – National Toxicology Program
OEL – Occupational Exposure Limit
PEL – Permissible Exposure Limit
ppm – parts per million
STEL – Short Term Exposure Limit
TWA – Time-Weighted Average
UN – United Nations
h - hour
mg/m³ - milligram/cubic meter
mm - millimeter
mmHg - millimeter mercury
w/w - weight/weight
d - day

Key literature references and sources for data

www.ChemADVISOR.com/

OSHA

ECHA C&L

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet