

## **Coles Lemon Bleach**

### **Coles Supermarkets**

Chemwatch: **5230-44** Version No: **4.1.1.1** 

Safety Data Sheet according to WHS and ADG requirements

#### Chemwatch Hazard Alert Code: 3

Issue Date: **08/12/2016** Print Date: **20/12/2016** S.GHS.AUS.EN

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### **Product Identifier**

Product name	Coles Lemon Bleach
Other means of	APN Barcode: 9300601261611

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Household bleach
---

### Details of the supplier of the safety data sheet

Registered company name	Coles Supermarkets
Address	800 Toorak Road Hawthorn East VIC 3123 Australia
Telephone	Customer Care: Free Call 1800 061 562 ; Business Hours Weekdays 8:30am-6:00pm AEST)
Fax	Not Available
Website	https://www.coles.com.au/Products/Material-Safety-Data-Sheets.aspx
Email	Not Available

## Emergency telephone number

Association / Organisation	POISONS INFORMATION CENTRE
Emergency telephone numbers	Poisons Information Centre (phone 13 11 26), First Aid 24 Hour
Other emergency telephone numbers	Not Available

## **SECTION 2 HAZARDS IDENTIFICATION**

### Classification of the substance or mixture

## HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

## CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	1		
Toxicity	1		0 = Minimum
Body Contact	3		1 = Low 2 = Moderate
Reactivity	0		3 = High
Chronic	0		4 = Extreme

Poisons Schedule	S5
Classification [1]	Skin Corrosion/Irritation Category 1, Serious Eye Damage Category 1
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

## Label elements

GHS label elements



SIGNAL WORD

DANGER

## Hazard statement(s)

H314

Causes severe skin burns and eye damage.

### Coles Lemon Bleach

Issue Date: 08/12/2016

Print Date: 20/12/2016

H318	Causes serious eye damage.

## Precautionary statement(s) Prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

## Precautionary statement(s) Response

P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P363	Wash contaminated clothing before reuse.
P310	Immediately call a POISON CENTER or doctor/physician.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

### Precautionary statement(s) Storage

P405 Store locked up.

### Precautionary statement(s) Disposal

Dispose of contents/container in accordance with local regulations.

### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### **Substances**

See section below for composition of Mixtures

### Mixtures

CAS No	%[weight]	Name
7681-52-9	<5	sodium hypochlorite
1310-73-2	<1	sodium hydroxide
Not Available	<0.1	fragrance
70592-80-2	<0.1	cocodimethylamine oxide
Not avail.	<0.1	methylated spirits
7732-18-5	>60	water

## **SECTION 4 FIRST AID MEASURES**

## Description of first aid measures

Eye Contact	If this product comes in contact with the eyes:  Immediately hold eyelids apart and flush the eye continuously with running water.  Immediately hold eyelids apart and flush the eye continuously with running water.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  Transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> </ul>

## Seek medical advice. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 FIREFIGHTING MEASURES**

## Extinguishing media

▶ Use extinguishing media suitable for surrounding area.

## Special hazards arising from the substrate or mixture

Chemwatch: 5230-44 Page 3 of 8 Catalogue number: Coles Lemon Bleach Version No: 4.1.1.1

Issue Date: 08/12/2016

Print Date: 20/12/2016

## Advice for firefighters

Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear full body protective clothing with breathing apparatus.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>Use water delivered as a fine spray to control fire and cool adjacent area.</li> <li>Avoid spraying water onto liquid pools.</li> <li>DO NOT approach containers suspected to be hot.</li> <li>Cool fire exposed containers with water spray from a protected location.</li> <li>If safe to do so, remove containers from path of fire.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Combustible.</li> <li>Slight fire hazard when exposed to heat or flame.</li> <li>Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>On combustion, may emit toxic fumes of carbon monoxide (CO).</li> <li>May emit acrid smoke.</li> <li>Mists containing combustible materials may be explosive.</li> <li>Combustion products include:</li> <li>carbon dioxide (CO2)</li> <li>sulfur oxides (SOx)</li> <li>other pyrolysis products typical of burning organic material.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>
HAZCHEM	Not Applicable

## **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

Methods and material for (	containment and cleaning up
Minor Spills	<ul> <li>Remove all ignition sources.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> <li>Wipe up.</li> <li>Place in a suitable, labelled container for waste disposal.</li> </ul>
Major Spills	Moderate hazard.  Clear area of personnel and move upwind.  Alert Fire Brigade and tell them location and nature of hazard.  Wear breathing apparatus plus protective gloves.  Prevent, by any means available, spillage from entering drains or water course.  No smoking, naked lights or ignition sources.  Increase ventilation.  Stop leak if safe to do so.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 HANDLING AND STORAGE**

Safe handling	DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke.
Other information	Store in original containers.  Keep containers securely sealed.  No smoking, naked lights or ignition sources.  Store in a cool, dry, well-ventilated area.  Store away from incompatible materials and foodstuff containers.  Protect containers against physical damage and check regularly for leaks.  Observe manufacturer's storage and handling recommendations contained within this SDS.

Suitable container	▶ Packaging as recommended by manufacturer.
Storage incompatibility	<ul> <li>Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.</li> <li>Avoid reaction with oxidising agents</li> </ul>

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Coles Lemon Bleach

Issue Date: 08/12/2016 Print Date: 20/12/2016

### **Control parameters**

## OCCUPATIONAL EXPOSURE LIMITS (OEL)

### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	sodium hydroxide	Sodium hydroxide	Not Available	Not Available	2 mg/m3	Not Available

### **EMERGENCY LIMITS**

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium hypochlorite	Sodium hypochlorite pentahydrate	13 mg/m3	140 mg/m3	290 mg/m3
sodium hypochlorite	Sodium hypochlorite	2 mg/m3	54 mg/m3	630 mg/m3
sodium hydroxide	Sodium hydroxide	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
sodium hypochlorite	Not Available	Not Available
sodium hydroxide	250 mg/m3	10 mg/m3
fragrance	Not Available	Not Available
cocodimethylamine oxide	Not Available	Not Available
methylated spirits	Not Available	Not Available
water	Not Available	Not Available

## **Exposure controls**

## Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

### Appropriate engineering controls

The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use

Employers may need to use multiple types of controls to prevent employee overexposure.

General exhaust is adequate under normal operating conditions.

### Personal protection









## Eye and face protection

- Safety glasses with side shields
- Chemical goggles.

### • Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly.

### Skin protection

## See Hand protection below

- ▶ Wear chemical protective gloves, e.g. PVC.
- ▶ Wear safety footwear or safety gumboots, e.g. Rubber

## NOTE:

- The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.
- Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.

## Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

Suitability and durability of glove type is dependent on usage

### **Body protection**

See Other protection below

## Other protection

- Overalls
- P.V.C. apron.
- Barrier cream.
- Skin cleansing cream. Eye wash unit.
- Thermal hazards
- Not Available

## Respiratory protection

### Type ABK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator	

# Page 5 of 8 Coles Lemon Bleach

Issue Date: **08/12/2016**Print Date: **20/12/2016** 

up to 10 x ES	ABK-AUS P2	-	ABK-PAPR-AUS / Class 1 P2
up to 50 x ES	-	ABK-AUS / Class 1 P2	-
up to 100 x ES	-	ABK-2 P2	ABK-PAPR-2 P2 ^

<sup>^ -</sup> Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content. The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

nformation on basic phys	ical and chemical properties		
Appearance	Clear yellow liquid with a characteristic odour; mixes with wa	ater.	
Physical state	Liquid	Relative density (Water = 1)	1.06 @25C
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	>11.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	>100	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

## **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## **SECTION 11 TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

information on toxicologic	cal effects	
Inhaled	There is some evidence to suggest that the material can cause respiratory irrita lung damage.	tion in some persons. The body's response to such irritation can cause further
Ingestion	Accidental ingestion of the material may be damaging to the health of the individ	ual.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, ma of the material and ensure that any external damage is suitably protected.	y produce systemic injury with harmful effects. Examine the skin prior to the use
Eye	If applied to the eyes, this material causes severe eye damage.	
Chronic	Substance accumulation, in the human body, may occur and may cause some or There is limited evidence that, skin contact with this product is more likely to cau population.	
Coles Lemon Bleach	TOXICITY	IRRITATION
Coles Lemon Bleach	Not Available	Not Available

Issue Date: 08/12/2016 Print Date: 20/12/2016

	TOXICITY	IRRITATION	
sodium hypochlorite	Dermal (rabbit) LD50: >10000 mg/kg <sup>[1]</sup>	Eye (rabbit): 10	mg - moderate
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Oral (rat) LD50: >237 mg/kg <sup>[1]</sup>	Eye (rabbit): 10	0 mg - moderate
		Skin (rabbit): 50	00 mg/24h-moderate
	TOXICITY	IRRITATION	
	Oral (rabbit) LD50: 325 mg/kg <sup>[1]</sup>	Eye (rabbit): 0.0	05 mg/24h SEVERE
sodium hydroxide		Eye (rabbit):1 n	ng/24h SEVERE
		Eye (rabbit):1 n	ng/30s rinsed-SEVERE
		Skin (rabbit): 50	00 mg/24h SEVERE
	TOXICITY	IRRITATION	
cocodimethylamine oxide	Not Available	Not Available	
	TOXICITY	IRRITATION	
	Not Available	Eye (rabbit): 50	0 mg SEVERE
methylated spirits		Eye (rabbit):100	Omg/24hr-moderate
		Skin (rabbit):20	mg/24hr-moderate
		Skin (rabbit):40	0 mg (open)-mild
	TOXICITY	IRRITATION	
water	Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup>	Not Available	
Legend:	Value obtained from Europe ECHA Registered Substances     extracted from RTECS - Register of Toxic Effect of chemical	-	from manufacturer's SDS. Unless otherwise specified data
Legend: SODIUM HYPOCHLORITE	extracted from RTECS - Register of Toxic Effect of chemical  Hypochlorite salts are classified by IARC as Group 3: NOT c Evidence of carcinogenicity may be inadequate or limited in a The material may produce moderate eye irritation leading to ir Hypochlorite salts are extremely corrosive and can cause seve	Substances  lassifiable as to its carcinogenicity to nimal testing.  nflammation. Repeated or prolonged	o humans.  I exposure to irritants may produce conjunctivitis.
SODIUM HYPOCHLORITE	extracted from RTECS - Register of Toxic Effect of chemical  Hypochlorite salts are classified by IARC as Group 3: NOT c  Evidence of carcinogenicity may be inadequate or limited in a  The material may produce moderate eye irritation leading to ir	Substances  lassifiable as to its carcinogenicity transmit lasting. Inflammation. Repeated or prolonged are damage to the eyes and skin. A new standard stan	o humans.  I exposure to irritants may produce conjunctivitis.  number of skin cancers have been observed in mice, when
·	extracted from RTECS - Register of Toxic Effect of chemical with the second sec	Substances  lassifiable as to its carcinogenicity transmattesting. Inflammation. Repeated or prolonged are damage to the eyes and skin. A nor repeated exposure and may produce severe ulceration.	o humans.  I exposure to irritants may produce conjunctivitis.  number of skin cancers have been observed in mice, when  uce on contact skin redness, swelling, the production of
SODIUM HYPOCHLORITE	extracted from RTECS - Register of Toxic Effect of chemical  Hypochlorite salts are classified by IARC as Group 3: NOT c Evidence of carcinogenicity may be inadequate or limited in a The material may produce moderate eye irritation leading to it Hypochlorite salts are extremely corrosive and can cause seve applied to their skin. as sodium hypochlorite pentahydrate  The material may cause severe skin irritation after prolonged of	Substances  lassifiable as to its carcinogenicity to nimal testing. Inflammation. Repeated or prolonged are damage to the eyes and skin. A nor repeated exposure and may produce smay produces may produce severe ulceration. Intake. They produced no mortality or Repeat dosing showed no abnormal	o humans.  I exposure to irritants may produce conjunctivitis.  umber of skin cancers have been observed in mice, when  uce on contact skin redness, swelling, the production of  or skin sensitization on exposure but caused reversible irritati
SODIUM HYPOCHLORITE  SODIUM HYDROXIDE  COCODIMETHYLAMINE	extracted from RTECS - Register of Toxic Effect of chemical with the control of the process of the control of t	Substances  lassifiable as to its carcinogenicity trinimal testing. Inflammation. Repeated or prolongedere damage to the eyes and skin. An or repeated exposure and may produce severe ulceration. Intake. They produced no mortality or Repeat dosing showed no abnormal idefects.  In a fee exposure to the material cease cour following exposure to high levelse, in a non-atopic individual, with abreatiful or pattern, on spirometry, with the phocytic inflammation, without eositis an infrequent disorder with rates as a disorder that occurs as result of	o humans.  Il exposure to irritants may produce conjunctivitis.  Jumber of skin cancers have been observed in mice, when uce on contact skin redness, swelling, the production of strict skin sensitization on exposure but caused reversible irritational changes except for diarrhoea and weight loss. They are not sensitized in the strict skin sensitization of an on-allergenic condition known as so of highly irritating compound. Key criteria for the diagnosis upt onset of persistent asthma-like symptoms within minute the presence of moderate to severe bronchial hyperreactivity mophilia, have also been included in the criteria for diagnosis elated to the concentration of and duration of exposure to to exposure to to exposure due to high concentrations of irritating substance
SODIUM HYPOCHLORITE  SODIUM HYDROXIDE  COCODIMETHYLAMINE OXIDE  SODIUM HYPOCHLORITE & SODIUM HYPOXIDE & COCODIMETHYLAMINE	extracted from RTECS - Register of Toxic Effect of chemical and the street stre	Substances  Idassifiable as to its carcinogenicity to nimal testing. Inflammation. Repeated or prolongedere damage to the eyes and skin. An or repeated exposure and may produce severe ulceration. Intake. They produced no mortality of Repeat dosing showed no abnormal defects.  Is after exposure to the material cease cour following exposure to high levelle, in a non-atopic individual, with abreat inflow pattern, on spirometry, with the phocytic inflammation, without eosis is an infrequent disorder with rates rise a disorder that occurs as result of exposure ceases. The disorder is chemposure ceases.	o humans.  I exposure to irritants may produce conjunctivitis.  I exposure to irritants may produce conjunctivitis.  I exposure to irritants may produce conjunctivitis.  I uce on contact skin redness, swelling, the production of  I skin sensitization on exposure but caused reversible irritati  I changes except for diarrhoea and weight loss. They are not  I changes excep
SODIUM HYPOCHLORITE  SODIUM HYPOCHLORITE  COCODIMETHYLAMINE OXIDE  SODIUM HYPOCHLORITE & SODIUM HYDROXIDE & COCODIMETHYLAMINE OXIDE  SODIUM HYDROXIDE & COCODIMETHYLAMINE	Hypochlorite salts are classified by IARC as Group 3: NOT or Evidence of carcinogenicity may be inadequate or limited in a The material may produce moderate eye irritation leading to in Hypochlorite salts are extremely corrosive and can cause sever applied to their skin.  as sodium hypochlorite pentahydrate  The material may cause severe skin irritation after prolonged of vesicles, scalling and thickening of the skin. Repeated exposure Amine oxides are readily metabolised and excreted after oral in of the eyes, skin and airways. They may also cause cataracts, noted to cause cancer, reproductive, genetic or developmenta.  Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can or of RADS include the absence of preceding respiratory diseass to hours of a documented exposure to the irritant. A reversible on methacholine challenge testing and the lack of minimal lym of RADS. RADS (or asthma) following an irritating inhalation irritating substance. Industrial bronchitis, on the other hand, is (often particulate in nature) and is completely reversible after the material may produce severe irritation to the eye causing	Substances  Idassifiable as to its carcinogenicity to inimal testing. Inflammation. Repeated or prolongedere damage to the eyes and skin. An our repeated exposure and may produce severe ulceration. Intake. They produced no mortality of Repeat dosing showed no abnormal idefects. Is after exposure to the material cease cour following exposure to high levele, in a non-atopic individual, with abrearinflow pattern, on spirometry, with a phocytic inflammation, without eosities an infrequent disorder with rates resident of the pronounced inflammation. Repeated	o humans.  I exposure to irritants may produce conjunctivitis.  I exposure to irritants may produce conjunctivitis.  I exposure to irritants may produce conjunctivitis.  I uce on contact skin redness, swelling, the production of  I skin sensitization on exposure but caused reversible irritati  I changes except for diarrhoea and weight loss. They are not  I changes excep
SODIUM HYPOCHLORITE  SODIUM HYDROXIDE  COCODIMETHYLAMINE OXIDE  SODIUM HYPOCHLORITE & SODIUM HYDROXIDE & COCODIMETHYLAMINE OXIDE  SODIUM HYDROXIDE & COCODIMETHYLAMINE OXIDE  COCODIMETHYLAMINE OXIDE	Hypochlorite salts are classified by IARC as Group 3: NOT or Evidence of carcinogenicity may be inadequate or limited in a The material may produce moderate eye irritation leading to in Hypochlorite salts are extremely corrosive and can cause sever applied to their skin.  as sodium hypochlorite pentahydrate  The material may cause severe skin irritation after prolonged of vesicles, scalling and thickening of the skin. Repeated exposure Amine oxides are readily metabolised and excreted after oral in of the eyes, skin and airways. They may also cause cataracts, noted to cause cancer, reproductive, genetic or developmenta. Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can or of RADS include the absence of preceding respiratory disease to hours of a documented exposure to the irritant. A reversible on methacholine challenge testing and the lack of minimal lym of RADS. RADS (or asthma) following an irritating inhalation irritating substance. Industrial bronchitis, on the other hand, is (often particulate in nature) and is completely reversible after the material may produce severe irritation to the eye causing conjunctivitis.	Substances  lassifiable as to its carcinogenicity trinimal testing. Inflammation. Repeated or prolonged are damage to the eyes and skin. An or repeated exposure and may produce severe ulceration. In the substance of the eyes and skin. An or repeated exposure and may produce severe ulceration. In the substance of the eyes and skin. An or repeated dosing showed no abnormal idefects.  It is after exposure to the material cease our following exposure to high levels, e, in a non-atopic individual, with abreating to exposure posure, on spirometry, with the aphocytic inflammation, without eosis is an infrequent disorder with rates residence of the exposure ceases. The disorder is chapton or the exposure ceases. The disorder is chapton or the exposure ceases. The disorder is chapton or the exposure ceases.	b humans.  Il exposure to irritants may produce conjunctivitis.  Il exposure to irritants may produce conjunctivitis.  Il exposure to fixin cancers have been observed in mice, when uce on contact skin redness, swelling, the production of or skin sensitization on exposure but caused reversible irritational changes except for diarrhoea and weight loss. They are not ess. This may be due to a non-allergenic condition known as so of highly irritating compound. Key criteria for the diagnosis upt onset of persistent asthma-like symptoms within minutes the presence of moderate to severe bronchial hyperreactivity nophilia, have also been included in the criteria for diagnosis related to the concentration of and duration of exposure to the exposure due to high concentrations of irritating substance arracterised by dyspnea, cough and mucus produce.
SODIUM HYPOCHLORITE  SODIUM HYDROXIDE  COCODIMETHYLAMINE OXIDE  SODIUM HYPOCHLORITE & SODIUM HYDROXIDE & COCODIMETHYLAMINE OXIDE  SODIUM HYDROXIDE & COCODIMETHYLAMINE OXIDE  COCODIMETHYLAMINE OXIDE & WATER  COCODIMETHYLAMINE OXIDE & METHYLATED	Hypochlorite salts are classified by IARC as Group 3: NOT on Evidence of carcinogenicity may be inadequate or limited in a The material may produce moderate eye irritation leading to in Hypochlorite salts are extremely corrosive and can cause sever applied to their skin. as sodium hypochlorite pentahydrate  The material may cause severe skin irritation after prolonged of vesicles, scaling and thickening of the skin. Repeated exposure and the eyes, skin and airways. They may also cause cataracts, noted to cause cancer, reproductive, genetic or developmenta. Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can or of RADS include the absence of preceding respiratory disease to hours of a documented exposure to the irritant. A reversible on methacholine challenge testing and the lack of minimal lym of RADS. RADS (or asthma) following an irritating inhalation irritating substance. Industrial bronchitis, on the other hand, is (often particulate in nature) and is completely reversible after. The material may produce severe irritation to the eye causing conjunctivitis.  No significant acute toxicological data identified in literature so the material may cause skin irritation after prolonged or repeated the process of the prolonged or repeated the process of the prolonged or repeated the prolonged	Substances  lassifiable as to its carcinogenicity trinimal testing. Inflammation. Repeated or prolonged are damage to the eyes and skin. An or repeated exposure and may produce severe ulceration. In the substance of the eyes and skin. An or repeated exposure and may produce severe ulceration. In the substance of the eyes and skin. An or repeated dosing showed no abnormal idefects.  It is after exposure to the material cease our following exposure to high levels, e, in a non-atopic individual, with abreating to exposure posure, on spirometry, with the aphocytic inflammation, without eosis is an infrequent disorder with rates residence of the exposure ceases. The disorder is chapton or the exposure ceases. The disorder is chapton or the exposure ceases. The disorder is chapton or the exposure ceases.	b humans.  Il exposure to irritants may produce conjunctivitis.  Il exposure to irritants may produce conjunctivitis.  Il exposure to fixin cancers have been observed in mice, when uce on contact skin redness, swelling, the production of or skin sensitization on exposure but caused reversible irritational changes except for diarrhoea and weight loss. They are not ess. This may be due to a non-allergenic condition known as so of highly irritating compound. Key criteria for the diagnosis upt onset of persistent asthma-like symptoms within minutes the presence of moderate to severe bronchial hyperreactivity nophilia, have also been included in the criteria for diagnosis related to the concentration of and duration of exposure to the exposure due to high concentrations of irritating substance arracterised by dyspnea, cough and mucus produce.
SODIUM HYPOCHLORITE  SODIUM HYPOCHLORITE  COCODIMETHYLAMINE OXIDE  SODIUM HYPOCHLORITE & SODIUM HYPOCHLORITE & SODIUM HYPOCHLORITE & SODIUM HYPOCHLORITE COCODIMETHYLAMINE OXIDE  COCODIMETHYLAMINE OXIDE COCODIMETHYLAMINE OXIDE & WATER COCODIMETHYLAMINE OXIDE & METHYLATED SPIRITS	Hypochlorite salts are classified by IARC as Group 3: NOT on Evidence of carcinogenicity may be inadequate or limited in a The material may produce moderate eye irritation leading to in Hypochlorite salts are extremely corrosive and can cause sever applied to their skin. as sodium hypochlorite pentahydrate  The material may cause severe skin irritation after prolonged of vesicles, scaling and thickening of the skin. Repeated exposure of the eyes, skin and airways. They may also cause cataracts, noted to cause cancer, reproductive, genetic or developmental Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can or of RADS include the absence of preceding respiratory disease to hours of a documented exposure to the irritant. A reversible on methacholine challenge testing and the lack of minimal lym of RADS. RADS (or asthma) following an irritating inhalation irritating substance. Industrial bronchitis, on the other hand, is (often particulate in nature) and is completely reversible after the material may produce severe irritation to the eye causing conjunctivitis.  No significant acute toxicological data identified in literature scaling and thickening of the skin.	Substances  classifiable as to its carcinogenicity to nimal testing. Inflammation. Repeated or prolonged are damage to the eyes and skin. An or repeated exposure and may produce severe ulceration. Intake. They produced no mortality or Repeat dosing showed no abnormal defects.  In a fitter exposure to the material cease cour following exposure to high levels, in a non-atopic individual, with abreatiflow pattern, on spirometry, with the phocytic inflammation, without eosit is an infrequent disorder with rates resident of exposure ceases. The disorder is chaptered in the pronounced inflammation. Repeated search.  In the search of the produce on the search of the search	be humans.  If exposure to irritants may produce conjunctivitis, number of skin cancers have been observed in mice, when suce on contact skin redness, swelling, the production of our skin sensitization on exposure but caused reversible irritating changes except for diarrhoea and weight loss. They are not ess. This may be due to a non-allergenic condition known as so of highly irritating compound. Key criteria for the diagnosis upt onset of persistent asthma-like symptoms within minute the presence of moderate to severe bronchial hyperreactivity nophilia, have also been included in the criteria for diagnosis exposure due to high concentrations of irritating substance haracterised by dyspnea, cough and mucus production.  If or prolonged exposure to irritants may produce
SODIUM HYPOCHLORITE  SODIUM HYDROXIDE  COCODIMETHYLAMINE OXIDE  SODIUM HYPOCHLORITE & SODIUM HYDROXIDE & COCODIMETHYLAMINE OXIDE  SODIUM HYDROXIDE & COCODIMETHYLAMINE OXIDE  COCODIMETHYLAMINE OXIDE & WATER  COCODIMETHYLAMINE OXIDE & METHYLATED SPIRITS  Acute Toxicity	Hypochlorite salts are classified by IARC as Group 3: NOT on Evidence of carcinogenicity may be inadequate or limited in a The material may produce moderate eye irritation leading to in Hypochlorite salts are extremely corrosive and can cause sever applied to their skin. as sodium hypochlorite pentahydrate  The material may cause severe skin irritation after prolonged of vesicles, scaling and thickening of the skin. Repeated exposure of the eyes, skin and airways. They may also cause cataracts, noted to cause cancer, reproductive, genetic or developmental Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can or of RADS include the absence of preceding respiratory disease to hours of a documented exposure to the irritant. A reversible on methacholine challenge testing and the lack of minimal lym of RADS. RADS (or asthma) following an irritating inhalation irritating substance. Industrial bronchitis, on the other hand, is (often particulate in nature) and is completely reversible after the material may produce severe irritation to the eye causing conjunctivitis.  No significant acute toxicological data identified in literature scaling and thickening of the skin.	Substances  Idassifiable as to its carcinogenicity to inimal testing. Inflammation. Repeated or prolonged are damage to the eyes and skin. An or repeated exposure and may produce severe ulceration. Intake. They produced no mortality of Repeat dosing showed no abnormal idefects. Is after exposure to the material cease cour following exposure to high level exit in a non-atopic individual, with abreat in a non-atopic individual, with abreat in single processing is an infrequent disorder with rates in a disorder that occurs as result of exposure ceases. The disorder is chapronounced inflammation. Repeated search.  Carcinogenicity	be humans.  If exposure to irritants may produce conjunctivitis, number of skin cancers have been observed in mice, when suce on contact skin redness, swelling, the production of our skin sensitization on exposure but caused reversible irritational changes except for diarrhoea and weight loss. They are not ess. This may be due to a non-allergenic condition known as so of highly irritating compound. Key criteria for the diagnosis upt onset of persistent asthma-like symptoms within minutes the presence of moderate to severe bronchial hyperreactivity nophilia, have also been included in the criteria for diagnosis related to the concentration of and duration of exposure to the exposure due to high concentrations of irritating substance haracterised by dyspnea, cough and mucus production.  If or prolonged exposure to irritants may produce
SODIUM HYPOCHLORITE  SODIUM HYPOCHLORITE  COCODIMETHYLAMINE OXIDE  SODIUM HYPOCHLORITE & SODIUM HYPOCHLORITE & SODIUM HYPOCHLORITE & SODIUM HYPOCHLORITE & COCODIMETHYLAMINE OXIDE  COCODIMETHYLAMINE OXIDE & WATER COCODIMETHYLAMINE OXIDE & METHYLATED SPIRITS  Acute Toxicity  Skin Irritation/Corrosion Serious Eye	Hypochlorite salts are classified by IARC as Group 3: NOT on Evidence of carcinogenicity may be inadequate or limited in a The material may produce moderate eye irritation leading to in Hypochlorite salts are extremely corrosive and can cause sever applied to their skin.  as sodium hypochlorite pentahydrate  The material may cause severe skin irritation after prolonged of vesicles, scalling and thickening of the skin. Repeated exposure Amine oxides are readily metabolised and excreted after oral in of the eyes, skin and airways. They may also cause cataracts, noted to cause cancer, reproductive, genetic or developmenta.  Asthma-like symptoms may continue for months or even years reactive airways dysfunction syndrome (RADS) which can or of RADS include the absence of preceding respiratory disease to hours of a documented exposure to the irritant. A reversible on methacholine challenge testing and the lack of minimal lym of RADS. RADS (or asthma) following an irritating inhalation i irritating substance. Industrial bronchitis, on the other hand, is (often particulate in nature) and is completely reversible after of the material may produce severe irritation to the eye causing conjunctivitis.  No significant acute toxicological data identified in literature scaling and thickening of the skin.	Substances  Idassifiable as to its carcinogenicity to inimal testing. Inflammation. Repeated or prolonged are damage to the eyes and skin. An or repeated exposure and may produce severe ulceration. Intake. They produced no mortality or Repeat dosing showed no abnormal defects.  In a non-atopic individual, with about a sirflow pattern, on spirometry, with the phocytic inflammation, without eositis an infrequent disorder with rates rise a disorder that occurs as result of exposure ceases. The disorder is chempronounced inflammation. Repeated search.  Carcinogenicity  Reproductivity	b humans.  Il exposure to irritants may produce conjunctivitis.  Il exposure to irritants may produce conjunctivitis.  Il exposure to irritants may produce conjunctivitis.  Il uce on contact skin redness, swelling, the production of  In skin sensitization on exposure but caused reversible irritati  Il changes except for diarrhoea and weight loss. They are no  In ses. This may be due to a non-allergenic condition known as  In sof highly irritating compound. Key criteria for the diagnosis  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of moderate to severe bronchial hyperreactivity  In the presence of the presen

X − Data available but does not fill the criteria for classification
 ✓ − Data required to make classification available

O - Data Not Available to make classification

Legend:

## Page **7** of **8**

## Coles Lemon Bleach

Issue Date: **08/12/2016**Print Date: **20/12/2016** 

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
sodium hypochlorite	LC50	96	Fish	0.032mg/L	4
sodium hypochlorite	EC50	48	Crustacea	0.026mg/L	2
sodium hypochlorite	EC50	72	Algae or other aquatic plants	0.0183mg/L	2
sodium hypochlorite	EC50	0.08	Crustacea	0.002mg/L	4
sodium hypochlorite	NOEC	72	Algae or other aquatic plants	0.0054mg/L	2
sodium hydroxide	LC50	96	Fish	4.16158mg/L	3
sodium hydroxide	EC50	96	Algae or other aquatic plants	1034.10043mg/L	3
sodium hydroxide	EC50	384	Crustacea	27901.643mg/L	3
sodium hydroxide	NOEC	96	Fish	56mg/L	4
cocodimethylamine oxide	EC50	504	Crustacea	0.88mg/L	4
cocodimethylamine oxide	NOEC	504	Fish	0.5mg/L	4
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

### DO NOT discharge into sewer or waterways.

## Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium hydroxide	LOW	LOW
water	LOW	LOW

### Bioaccumulative potential

Ingredient	Bioaccumulation
sodium hydroxide	LOW (LogKOW = -3.8796)
water	LOW (LogKOW = -1.38)

### Mobility in soil

Ingredient	Mobility
sodium hydroxide	LOW (KOC = 14.3)
water	LOW (KOC = 14.3)

## **SECTION 13 DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- ▶ Reduction
- ▶ Reuse
- ▶ Recycling
- Disposal (if all else fails)

## Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

- $\blacktriangleright\,$  DO NOT allow wash water from cleaning or process equipment to enter drains.
- ▶ It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible or consult manufacturer for recycling options.
- ▶ Consult State Land Waste Authority for disposal
- Bury or incinerate residue at an approved site.
- Recycle containers if possible, or dispose of in an authorised landfill.

## **SECTION 14 TRANSPORT INFORMATION**

## Labels Required

•	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Source Product name Pollution Category Snip type	Source	Product name	Pollution Category	Ship Type
--	--------	--------------	--------------------	-----------

Chemwatch: 5230-44 Page 8 of 8

Catalogue number:

Version No: 4.1.1.1

Issue Date: 08/12/2016

Print Date: 20/12/2016

 IMO MARPOL (Annex II) - List of Noxious Liquid Substances
 Sodium hypochlorite solution (15% or less)
 Y
 2

 Carried in Bulk
 Y
 2

### **SECTION 15 REGULATORY INFORMATION**

### Safety, health and environmental regulations / legislation specific for the substance or mixture

### SODIUM HYPOCHLORITE(7681-52-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Substances Information System - Consolidated Lists Australia Inventory of Chemical Substances (AICS)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC

Monographs

### SODIUM HYDROXIDE(1310-73-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

### COCODIMETHYLAMINE OXIDE(70592-80-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

### METHYLATED SPIRITS(NOT AVAIL.) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

### WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory	Status
Australia - AICS	N (methylated spirits)
Canada - DSL	N (methylated spirits)
Canada - NDSL	N (cocodimethylamine oxide; methylated spirits; water; sodium hypochlorite; sodium hydroxide)
China - IECSC	N (methylated spirits)
Europe - EINEC / ELINCS / NLP	N (methylated spirits)
Japan - ENCS	N (methylated spirits; water)
Korea - KECI	N (methylated spirits)
New Zealand - NZIoC	N (methylated spirits)
Philippines - PICCS	N (methylated spirits)
USA - TSCA	N (methylated spirits)
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

## **SECTION 16 OTHER INFORMATION**

### Other information

## Ingredients with multiple cas numbers

Name	CAS No
sodium hypochlorite	7681-52-9, 10022-70-5
sodium hydroxide	1310-73-2, 12200-64-5

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

### www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.