



MATERIAL SAFETY DATA SHEET

REVISION DATE: 06/16/2011

REVISION NUMBER: 1

DATE PRINTED: 06/16/2011

PREPARED BY:

EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **FW-53, Alkaline Continuous Felt Cleaner**

PRODUCT CODE: 118981

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 3/3

Fire: 0/0

Reactivity: 0/0

Special/Protective Equipment: CORR/C

NAME OF THE MANUFACTURER: Rochester Midland Corporation
333 Hollenbeck Street
Rochester, New York 14621
USA

Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Causes burns of the mouth, throat and stomach.
SKIN CONTACT: Causes severe skin irritation with tissue destruction.
INHALATION: Irritating to respiratory tract in high concentrations. May irritate the lungs.
EYE CONTACT: Corrosive. Causes eye burns.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
SODIUM HYDROXIDE 1310-73-2	1 - 5	Not applicable	2 mg/m ³

4. FIRST AID MEASURES

INGESTION: DO NOT INDUCE VOMITING. Rinse mouth. Get immediate medical attention.
SKIN: Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Get medical attention.
INHALATION: If inhaled, move victim to fresh air and seek medical attention.
EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate gastric lavage.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

(F): None (C): None

METHOD:

None

FLAMMABLE LIMITS IN AIR

FW-53, Alkaline Continuous Felt Cleaner

LOWER (%):

No data

UPPER (%):

No data

SENSITIVITY TO MECHANICAL IMPACT(Y/N):

NO

SENSITIVITY TO STATIC DISCHARGE:

Sensitivity to static discharge is not expected.

SUITABLE EXTINGUISHING MEDIA:

As for surrounding fire. Product will not burn.

FIRE FIGHTING PROCEDURES:

Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:

Pick up with absorbant material.

LARGE SPILLS:

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS:

Not applicable

ENVIRONMENTAL PRECAUTIONS:

Not applicable

METHODS FOR CLEANING UP:

Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN

Danger: Corrosive. Use only in a well ventilated area. Keep container closed when not in use.

IN HANDLING AND STORAGE:

Avoid contact with skin and eyes. Avoid creating mists or aerosols. Store away from acids.

OTHER PRECAUTIONS:

No other spill procedures necessary.

SPECIFIC USE(S):

Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

Use in a well ventilated area.

RESPIRATORY PROTECTION:

Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is likely.

PROTECTIVE GLOVES:

Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin contact.

EYE PROTECTION:

Goggles and face shield are recommended to minimize eye contact.

OTHER PERSONAL PROTECTION

Appropriate protective clothing as needed to prevent skin contact. Eyewash fountains and safety showers must be easily accessible. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

EQUIPMENT:

VENTILATION:

General mechanical and/or local exhaust as needed if mist or vapors cause irritation.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:

Clear amber liquid. Mild odor.

BOILING POINT (F):

Not determined

(C) Not determined

VAPOR PRESSURE:

Not determined

VAPOR DENSITY (AIR=1):

Not determined

SOLUBILITY IN WATER:

Complete

SPECIFIC GRAVITY:

1.14 - 1.16

VOC Content (%):

Not determined

EVAPORATION RATE:

Not determined

PH:

11.5 - 12.0 (1%)

10. STABILITY AND REACTIVITY

STABILITY DATA:

STABLE

POLYMERIZATION:

Will Not Occur.

HAZARDOUS DECOMPOSITION:

Oxides of Carbon. Oxides of Nitrogen.

FW-53, Alkaline Continuous Felt Cleaner

10. STABILITY AND REACTIVITY

INCOMPATIBILITY (MATERIALS TO AVOID): Strong acids will cause decomposition.

CONDITIONS/HAZARDS TO AVOID: Freezing conditions.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established

EFFECTS OF CHRONIC EXPOSURE: Not established.

OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time

CHEMICAL FATE INFORMATION: No data at this time.

MOBILITY: Not applicable.

PERSISTENCE/DEGRADABILITY: Not applicable

BIOACCUMULATIVE POTENTIAL: Not applicable

OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
SODIUM HYDROXIDE 1310-73-2	1 - 5	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
SODIUM HYDROXIDE 1310-73-2	1 - 5	1000 lb 454 kg	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
SODIUM HYDROXIDE 1310-73-2	1 - 5	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
SODIUM HYDROXIDE 1310-73-2	1 - 5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
SODIUM HYDROXIDE 1310-73-2	1 - 5	Listed

FW-53, Alkaline Continuous Felt Cleaner

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
SODIUM HYDROXIDE 1310-73-2	1 - 5	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***