

OSHA-Required Health And Safety Information!

This Material Safety Data Sheet (MSDS) was requested moments ago from Hercules Automated Fax Information System. Please forward it immediately to the person in charge of MSDS's, or retain it at the machine until claimed.

Section 1

MATERIAL SAFETY DATA SHEET # 73 Plumbers Caulk Almond/Bone

Last Reviewed: 5/2/2001

Meets OSHA 29 CFR 1910.1200

Date Prepared: 2/5/1990



MATERIAL SAFETY INFORMATION SERVICE

Hercules Chemical Company Inc. 111 South Street Passaic NJ 07055 Phone (800) 221-9330

Section 2 - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity;

Common Name(s), CAS Numbers)

ACGIH TLV

Other Limits

N/A

Fax (800) 333-3456

Upper Bound Limit if SARA Reportable

Stoddard Solvent (8052-41-3)

N/A

100PPM

HMIS Hazard Rating: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: B

Section 3 - Physical/Chemical Characteristics

Boiling Point (°C):

Specific Gravity (H2O = 1):

Vapor Density (Air = 1):

Vapor Pressure (mm Hg):

212 (water based)

Appearance And Color:

1.6

< 1

N/A

Melting Point (° F)

Evaporation Rate: (Butyl Acetate = 1)

Solubility in Water:

Soluble

OSHA PEL

N/A

- and 1 1 100 min = 17

Almond/Bone color creamy paste

Odor: Acrylic Odor

Section 4 - Fire And Explosion Hazard Data

Flash Point:

Flammable Limits:

LEL:

UEL:

None

N/A

N/A N/A

Extinguishing Media: As appropriate for surrounding fire. Non-combustible.

Special Firefighting Procedures:

None

Unusual Fire And Explosion Hazards:

Because of high water content, uncured product will not burn. Cured product burns, giving off oxides of carbon. Continued on Next Page

Section 5 - Reactivity Data

Stability: Stable Conditions To Avoid: None

Incompatability None

(Materials To Avoid):

Hazardous Decomposition: CO or CO2 formed when cured or dried product is burned.

Hazardous Polymerization: Will Not Occur

Section 6 - Health Hazard Data

Routes of Entry: Inhalation N/A Skin YES/Secondary Ingestion YES/Secondary

Health Hazards:

Chronic Hazards: None known. Acute Hazards: May cause skin irritation on prolonged exposure.

Carcinogenicity: NTP NO IARC NO OSHA Regulated NO

Signs And Symptoms of Exposure:

Direct eye contact may cause irritation. Prolonged or repeated contact may cause skin irritation.

Medical Conditions Generally Aggravated By Exposure:

None known

Emergency And First Aid Procedures:

SKIN: Wash with soap and warm water. EYES: Flush with water for 15 minutes. Seek medical attention if irritation persists. INGESTION: DO NOT INDUCE VOMITING. Seek medical attention immediately.

Continued on Next Page

Section 7 - Precautions For Safe Handling And Use:

Steps To Be Taken In Case Material Is Released Or Spilled:

Use an absorbent material and sweep up for disposal.

Waste Disposal Method:

Small quantities: non-hazardous landfill. Large quantities: conform to federal, state and local regulations.

Precautions To Be Taken In Handling And Storing:

Store between 40° F and 110° F.

Other Precautions:

None required.

Section 8 - Control Measures:

Respiratory Protection:

N/A

Ventilation: Local Exhaust Adequate Special N/A

Mechanical N/A

Gloves: Rubber

Eye Protection: Safety glasses

Other Protective

Clothing: None required

Work/Hygienic Practices Use good personal hygiene practices. Wash thoroughly after handling.





For Hercules Material Safety Data Sheets by fax anytime, day or night, just call 1-800-942-INFO (1-800-942-4636) from any Touch-Tone phone. Have your fax number ready. Checking the product label for the correct MSDS # will save time.

Other: N/A