



MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/19/2012

REVISION NUMBER: 2

DATE PRINTED: 04/19/2012

PREPARED BY:

EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **INTEC MEGA-DRAW #4002, NEW AND IMPROVED**

PRODUCT CODE: 118144

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1

Fire: 1/1

Reactivity: 0/0

Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624
USA

Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May be harmful if swallowed. Causes irritation of the stomach and intestines, resulting in nausea and/or vomiting. Aspiration of ingested or vomited liquid into the lungs may cause chemical pneumonia, which can be fatal.

SKIN CONTACT: Prolonged contact may lead to irritation and dermatitis.

INHALATION: Inhalation of vapors or mists may cause nose and respiratory irritation, sore throat, and coughing.

EYE CONTACT: Causes moderate eye irritation.

CHRONIC EFFECTS: Dermatitis.

EFFECTS/CARCINOGENICITY: Unknown.

ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Naphthenic oil 64742-53-6	0 - 10	Not applicable	Not applicable

4. FIRST AID MEASURES

INGESTION: Get immediate medical attention. May cause aspiration pneumonia.

SKIN: Wash with soap and water. Remove contaminated clothing and launder before reuse.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

EYES: In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.

NOTES TO PHYSICIAN: None.

5. FIRE AND EXPLOSION HAZARD DATA

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	(F): 415° F min. (C): 212.8° C
METHOD:	ASTM D-56
FLAMMABLE LIMITS IN AIR	
LOWER (%):	No data
UPPER (%):	No data
SENSITIVITY TO MECHANICAL IMPACT(Y/N):	NO
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA:	Carbon Dioxide, Dry Chemicals, Foam. Sand.
FIRE FIGHTING PROCEDURES:	Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray. DO NOT USE streams of water, as this will scatter the liquid and spread the fire. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:	Pick up with absorbant material.
LARGE SPILLS:	Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Keep out of drains, sewers, streams, or other bodies of water.

PERSONAL PRECAUTIONS:	Not applicable
ENVIRONMENTAL PRECAUTIONS:	Not applicable
METHODS FOR CLEANING UP:	Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:	Do not expose to extreme temperatures. Store in a well ventilated area. Store in a cool, dry area. Do not store near oxidizing agents. Do not breathe mist or vapors.
OTHER PRECAUTIONS:	Read and follow label instructions. Keep out of reach of children.
SPECIFIC USE(S):	Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:	Use in a well ventilated area.
RESPIRATORY PROTECTION:	NIOSH approved respirator if spray mist in air causes irritation.
PROTECTIVE GLOVES:	Chemical resistant gloves are recommended to minimize skin contact.
EYE PROTECTION:	Safety glasses are recommended to minimize eye contact.
OTHER PERSONAL PROTECTION EQUIPMENT:	None required. Eyewash fountains and safety showers must be easily accessible. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.
VENTILATION:	General mechanical or local exhaust as needed to maintain exposure below TLV or PEL. Use non-sparking equipment. No smoking or open lights.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Clear yellow liquid. Characteristic odor.	
BOILING POINT (F):	> 500° F	(C) > 260° C
VAPOR PRESSURE:	Not determined	
VAPOR DENSITY (AIR=1):	Not determined	
SOLUBILITY IN WATER:	Not determined	
SPECIFIC GRAVITY:	1.29	
VOC Content (%):	Not determined	
EVAPORATION RATE:	> 1	
PH:	Not determined	

10. STABILITY AND REACTIVITY

STABILITY DATA:	STABLE
POLYMERIZATION:	Will Not Occur.
HAZARDOUS DECOMPOSITION:	Combustion produces: Oxides of Carbon. Oxides of Sulfur. Oxides of Nitrogen. Hydrogen chloride gas. Sulfide. Calcium. When heated to high temperatures, the following may be produced: Ammonia vapors. Oxides of Metal Smoke. Reactive volatile hydrocarbons.
INCOMPATIBILITY (MATERIALS TO AVOID):	Avoid contact with: Strong oxidents, such as nitric acid, or hypochlorites.
CONDITIONS/HAZARDS TO AVOID:	Extreme heat, direct sunlight. Avoid any source of ignition.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:	Not Established
EFFECTS OF CHRONIC EXPOSURE:	Not established.
OTHER TOXIC EFFECTS:	Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:	No data at this time
CHEMICAL FATE INFORMATION:	No data at this time.
MOBILITY:	Not applicable.
PERSISTENCE/DEGRADABILITY:	Not applicable
BIOACCUMULATIVE POTENTIAL:	Not applicable
OTHER ADVERSE EFFECTS:	Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:	Dispose in accordance with Federal, State and Local regulations.
--------------------------------	--

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Naphthenic oil 64742-53-6	0 - 10	Listed	Listed	Listed	Not Listed

INTEC MEGA-DRAW #4002, NEW AND IMPROVED

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Naphthenic oil 64742-53-6	0 - 10	Not Listed	Not Listed	Not Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Naphthenic oil 64742-53-6	0 - 10	Listed

None of the components of this material are included in the New Jersey Substance List nor are present at or above reportable levels.
None of the components of this material are included in the Pennsylvania Substance List nor are present at or above reportable levels.

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***