MASTERS Grit Cloth Page 1 of 3

# MATERIAL SAFETY DATA SHEET

## \_\_\_\_\_\_

## **SECTION I - PRODUCT IDENTIFICATION**

\_\_\_\_\_\_\_

Product name: MASTERS GRIT CLOTH

**Product use:** For cleaning copper pipes, tubing and fittings.

**Supplier name and address:** G.F. THOMPSON CO. LTD. 620 Steven Court, Unit #11

Newmarket, Ontario

L3Y 6Z2

Manufacturer name and address:

Refer to supplier

**Emergency Phone #:** 

Mon – Fri, 7:30 am to 5:00 pm EST 905-898-2557 800-499-3673 (toll free) **24 hr Emergency Tel:** 

905-252-4793

WHMIS CLASS: D2B

## **SECTION II - HAZARDOUS INGREDIENTS**

\_\_\_\_\_\_

<u>Ingredients</u>	CAS#	<u>% (</u> wt/wt)	LC50 ppm (Rat, ihl.)	LD50 mg/kg (Rat, oral)
Aluminum oxide	1344-28-1	55-65	n/av	n/av
Nylon Screen Back	n/av	20-30	n/av	n/av
Binder - Phenolic resin	n/av	5-15	n/av	n/av

\_\_\_\_\_\_

### SECTION III - PHYSICAL DATA

\_\_\_\_\_\_

Physical State: Solid.

**Odour and appearance:** Cloth coated with abrasive material.

Odour threshold: n/av Specific gravity: n/av

Coefficient of water/oil distribution: n/av

Vapour pressure (mm Hg): n/av

**Boiling point:** n/av **Freezing point:** n/av

pH: n/ap

Vapour density (Air = 1): n/av Evaporation rate (BuAc = 1): n/av

Volatiles, %: n/av

Solubility in water: Variable

\_\_\_\_\_

### **SECTION IV - FIRE AND EXPLOSION DATA**

\_\_\_\_\_

Conditions of flammability: Backing and resin binder will burn.

MASTERS Grit Cloth Page 2 of 3

**Means of extinction:** Carbon dioxide, dry chemical, foam or water fog may be used to extinguish fire. **Sensitivity to mechanical impact/static discharge:** Not susceptible to mechanical impact. Insensitive

to static discharge.

Flash point (Method): n/ap Upper flammable limit %: n/ap Lower flammable limit %: n/ap Auto-ignition temperature: n/ap

**Special fire fighting procedures:** Fire fighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes. Cool exposed containers with water

spray.

Hazardous combustion products: Refer to "Hazardous Decomposition Products"

\_\_\_\_\_

## **SECTION V - REACTIVITY DATA**

\_\_\_\_\_\_\_

Stability: Stable.

Incompatible materials: n/av

**Conditions of reactivity:** Hazardous polymerization will not occur.

Hazardous decomposition products: Thermal decomposition could produce carbon monoxide, carbon

dioxide and decomposing resin fumes.

\_\_\_\_\_\_

## SECTION VI - TOXICOLOGICAL PROPERTIES

## \*\*\* Routes of exposure and acute/chronic effects \*\*\*

Exposure limit (ACGIH-TLV-TWA): Aluminum oxide 10 mg/m3

**Inhalation:** Inhalation of dust may cause coughing, shortness of breath.

Skin: Abrasion.

Eyes: Dust may irritate.

**Ingestion:** Unlikely route of entry, however harmful if dust is swallowed. **Chronic effects:** Breathing of dust may affect breathing capacity.

Carcinogenicity: Ingredient(s) are not listed by IARC or ACGIH as carcinogenic.

Reproductive effects. Teratogenicity. Mutagenicity: None known.

Name of Toxicologically Synergistic Products: n/av

\_\_\_\_\_\_

### SECTION VII FIRST AID

\_\_\_\_\_\_

Inhalation: Remove to fresh air. Get medical attention if needed.

Eyes: Immediately flush eyes with large amounts of water for at least 15 minutes lifting upper and lower

lids. Get prompt medical attention.

**Skin:** For abrasions, treat symptomatically.

**Ingestion:** Unlikely route of entry. Consult a physician if problems arise.

\_\_\_\_\_

#### SECTION VIII - PREVENTIVE MEASURES

\_\_\_\_\_\_

**Spill, leak or release:** Normal clean-up procedures (vacuum to prevent airborne dust particles). **Waste disposal:** Dispose of in accordance with federal, provincial and local regulations.

\*\*\* PROTECTIVE EQUIPMENT \*\*\*

MASTERS Grit Cloth Page 3 of 3

**Respiratory protection:** Use NIOSH approved respirator as needed for dusty conditions.

**Ventilation:** General, local exhaust recommended. **Protective gloves:** Recommended - Leather

**Eye protection:** Safety glasses/goggles or face shield to protect against dust.

Other protective equipment: No special clothing required. Long sleeves recommended to minimize dust

contact.

**Other requirements:** Remove clothing and launder before reuse if contaminated with product. Wash hands with soap and water if contact with product occurs or before eating, drinking, smoking, or using toilet facilities.

## \*\*\* STORAGE & HANDLING \*\*\*

**Storage and handling conditions:** Avoid excessive heat. Store out of direct sunlight in a dry area. **Special Shipping Information:** TDG - Not regulated.

\_\_\_\_\_\_

## Additional notes or references:

Abbreviations:

n/av : not available n/ap : not applicable

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

TLV: Threshold Limit Values

NIOSH: National Institute of Occupational Safety and Health

TDG: Transportation of Dangerous Goods Act

### References:

- 1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 1994-95.
- 2. International Agency for Research on Cancer Monographs, Supplement 7, 1988.
- 3. N. Irving Sax. Dangerous Properties of Industrial Materials, Seventh Edition.
- 4. Canadian Centre for Occupational Health and Safety. Cheminfo Database.
- 5. N. Irving Sax, Richard J. Lewis, Sr. <u>Hawley's Condensed Chemical Dictionary, Eleventh Edition</u>.

\_\_\_\_\_\_

## **SECTION IX PREPARATION INFORMATION**

\_\_\_\_\_\_\_

Prepared by: G.F. THOMPSON CO. LTD.

Telephone #: 905-898-2557

Preparation date: December 1, 2012

\_\_\_\_\_\_\_