	<b>SAFETY DATA SHEET</b>	Page : 1 / 11
		Revision nr : 1.0
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Issue date : 24/03/2021
		Supersedes :  766-01-0342S

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic  
Product code : 8M0180930, 8M0180931, 8M0180932  
Document no. : 766-01-0342S

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional uses, Consumer use  
Use of the substance/mixture : Engine oil

#### 1.2.2. Uses advised against

No data available

### 1.3. Details of the supplier of the safety data sheet

Brunswick Marine EMEA  
Parc industriel de Petit-Rechain, Avenue Mercury 8  
4800 Verviers - Belgium  
T +32 (0)87 32 32 11  
[bme.compliance@brunswick.com](mailto:bme.compliance@brunswick.com)

### 1.4. Emergency telephone number

Emergency number : 0032 3 575 55 55  
This telephone number is available 24 hours per day, 7 days per week.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of H statements : see section 16


### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

	<b>SAFETY DATA SHEET</b>	Page : 2 / 11
		Revision nr : 1.0
		Issue date : 24/03/2021
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Supersedes :  <b>766-01-0342S</b>

Signal word : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : Not applicable.

Component	
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil— unspecified (64742-65-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: Composition/information on ingredients

### 3.1. Substances


Not applicable

### 3.2. Mixtures

Comments : Base oil - unspecified (DMSO < 3%)

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%)	(CAS-No.) 72623-87-1 (EC-No.) 276-738-4 (EC Index) 649-483-00-5	75 – 95	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil— unspecified	(CAS-No.) 64742-65-0 (EC-No.) 265-169-7 (EC Index) 649-474-00-6 (REACH-no) 01-2119471299-27-xxxx	10 – 20	Asp. Tox. 1, H304
zinc bis(O,O-diisooctyl) bis(dithiophosphate)	(CAS-No.) 28629-66-5 (EC-No.) 249-109-7	0,1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Alcohols, C12-16, ethoxylated	(CAS-No.) 68551-12-2 (EC-No.) 500-221-7	0,1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400

	<b>SAFETY DATA SHEET</b>	Page : 3 / 11
		Revision nr : 1.0
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Issue date : 24/03/2021
		Supersedes :  766-01-0342S

**Specific concentration limits:**

Substance name	Product identifier	Specific concentration limits
zinc bis(O,O-diisooctyl) bis(dithiophosphate)	(CAS-No.) 28629-66-5 (EC-No.) 249-109-7	( 15 <C ≤ 100) Eye Dam. 1, H318

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Additional advice	: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance. Treat symptomatically.
Inhalation	: Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	: Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. Do NOT induce vomiting. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: The following symptoms may occur: Respiratory irritation.
Skin contact	: The following symptoms may occur: Causes mild skin irritation, Dry skin, Redness.
Eyes contact	: Causes serious eye irritation. The following symptoms may occur: Redness.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media


Suitable extinguishing media	: carbon dioxide (CO <sub>2</sub> ), powder, alcohol-resistant foam, water spray.
Unsuitable extinguishing media	: Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards	: Not flammable. Heating will cause a rise in pressure with a risk of bursting.
Hazardous decomposition products in case of fire	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Phosphorus oxides. nitrogen oxides (NO <sub>x</sub> ) and sulphur oxides.

### 5.3. Advice for firefighters

Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.
Other information	: Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

	<b>SAFETY DATA SHEET</b>	Page : 4 / 11
		Revision nr : 1.0
		Issue date : 24/03/2021
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Supersedes :  766-01-0342S

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing.

#### 6.1.2. For emergency responders

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.

Hygiene measures : Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Special rules on packaging : Keep in properly labelled containers.

Packaging materials : Keep only in the original container.


### 7.3. Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No data available

	<b>SAFETY DATA SHEET</b>	Page : 5 / 11
		Revision nr : 1.0
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Issue date : 24/03/2021
		Supersedes :  766-01-0342S


## 8.2. Exposure controls

Engineering measure(s)	: Provide adequate ventilation. Organisational measures to prevent /limit releases, dispersion and exposure. See Section 7 for information on safe handling .
Personal protective equipment	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Hand protection	: Wear chemically resistant gloves (tested to EN374) . Suitable material: Nitrile rubber. Thickness : > 0,3 mm. Breakthrough time : > 8h. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
Eye protection	: Use suitable eye protection (EN166): Safety glasses with side shields
Body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type: ABEK (EN 141). The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)
Thermal hazard protection	: Not required for normal conditions of use. Use dedicated equipment.
Environmental exposure controls	: Avoid release to the environment. Comply with applicable Community environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: clear.
Colour	: amber.
Odour	: petroleum-like odour.
Odour threshold	: Not determined
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: Not determined
Melting / freezing point	: Not determined
Freezing point	: Not determined
Initial boiling point and boiling range	: Not determined
Flash point	: 230 °C
Auto-ignition temperature	: Not determined
Decomposition temperature	: Not determined
Flammability (solid, gas)	: Not applicable,liquid
Vapour pressure	: Not determined
Vapour density	: Not determined
Relative density	: Not determined
Solubility	: Water: Negligible
Partition coefficient n-octanol/water	: Not determined
Kinematic viscosity	: 65 cSt (40 °C)
Dynamic viscosity	: Not determined
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: Not determined

	SAFETY DATA SHEET	Page : 6 / 11
		Revision nr : 1.0
	Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic	Issue date : 24/03/2021
		Supersedes :  766-01-0342S

Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No data available

### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reference to other sections 10.4 & 10.5.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. See Section 7 for information on safe handling.

### 10.5. Incompatible materials

Acids. Strong oxidizing agents. See Section 7 for information on safe handling.

### 10.6. Hazardous decomposition products


Reference to other sections 5.2.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)	
LD50/oral/rat	> 5000 mg/kg
LD50/dermal/rabbit	> 2000 mg/kg
LC50/inhalation/4h/rat	2,18 mg/l/4h
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil— unspecified (64742-65-0)	
LD50/oral/rat	> 15000 mg/kg
LD50/dermal/rabbit	> 5000 mg/kg
LC50/inhalation/4h/rat	> 2400 mg/m <sup>3</sup> (Exposure time: 4 h)
zinc bis(O,O-diisooctyl) bis(dithiophosphate) (28629-66-5)	
LD50/oral/rat	2000 mg/kg
LD50/dermal/rabbit	> 3000 mg/kg

	<b>SAFETY DATA SHEET</b>	Page : 7 / 11
		Revision nr : 1.0
		Issue date : 24/03/2021
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Supersedes :  <b>766-01-0342S</b>

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Serious eye damage/irritation	: Causes serious eye irritation. pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic	
Kinematic viscosity	65 mm <sup>2</sup> /s (40 °C)

Other information	: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.
-------------------	--

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: Not applicable
--	------------------

### 11.2.2 Other information

Other information	: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4
-------------------	---

## SECTION 12: Ecological information

### 12.1. Toxicity

Environmental properties	: According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified


Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)	
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil— unspecified (64742-65-0)	
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)

### 12.2. Persistence and degradability

Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic	
Persistence and degradability	Not readily biodegradable.



	<b>SAFETY DATA SHEET</b>	Page : 8 / 11
		Revision nr : 1.0
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Issue date : 24/03/2021
		Supersedes :  766-01-0342S

**Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil— unspecified (64742-65-0)**

Persistence and degradability	Substance is complex UVCB. Inherently biodegradable. Not readily biodegradable.
-------------------------------	---

**12.3. Bioaccumulative potential**

**Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic**

Partition coefficient n-octanol/water	Not determined
Bioaccumulative potential	No data available.

**Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil— unspecified (64742-65-0)**

Bioaccumulative potential	Substance is complex UVCB.
---------------------------	----------------------------

**12.4. Mobility in soil**

**Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic**

Mobility in soil	No data available
------------------	-------------------

**12.5. Results of PBT and vPvB assessment**

**Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic**

Results of PBT assessment	No data available
---------------------------	-------------------

**Component**

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil— unspecified (64742-65-0)	<p>This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII</p> <p>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII</p>
--	--

**12.6. Endocrine disrupting properties**

Adverse effects on the environment caused by endocrine disrupting properties : Not applicable

**12.7. Other adverse effects**

Other adverse effects : No data available


**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Product/Packaging disposal recommendations : Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : This material and its container must be disposed of as hazardous waste  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities



	<b>SAFETY DATA SHEET</b>	Page : 9 / 11
		Revision nr : 1.0
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Issue date : 24/03/2021
		Supersedes :  766-01-0342S

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

Special precautions for user : No data available

#### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

#### - Inland waterway transport

Not applicable

#### - Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture


#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic ; Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) ; Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil— unspecified ; zinc bis(O,O-diisooctyl) bis(dithiophosphate) ; Alcohols, C12-16, ethoxylated
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	zinc bis(O,O-diisooctyl) bis(dithiophosphate) ; Alcohols, C12-16, ethoxylated

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

	<b>SAFETY DATA SHEET</b>	Page : 10 / 11
		Revision nr : 1.0
		Issue date : 24/03/2021
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Supersedes :  766-01-0342S

### 15.1.2. National regulations

#### France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

#### Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)  
Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Netherlands

Waterbezwaarlijkheid : B (4) - Weinig schadelijk voor in het water levende organismen  
SZW-lijst van kankerverwekkende stoffen : None of the components are listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

### 15.2. Chemical safety assessment


Not applicable

<b>For the following substances of this mixture a chemical safety assessment has been carried out</b>
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil— unspecified

## SECTION 16: Other information

Abbreviations and acronyms:

	ABM = Algemene beoordelingsmethodiek
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
	CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
	IATA = International Air Transport Association
	IMDG = International Maritime Dangerous Goods Code
	LEL = Lower Explosive Limit/Lower Explosion Limit
	UEL = Upper Explosion Limit/Upper Explosive Limit
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LC50 = Median lethal concentration
	LD50 = Median lethal dose

	<b>SAFETY DATA SHEET</b>	Page : 11 / 11
		Revision nr : 1.0
		Issue date : 24/03/2021
	<b>Quicksilver 4-Stroke Marine Engine Oil 5W30 Full Synthetic</b>	Supersedes :  <b>766-01-0342S</b>

	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average
	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the datasheet : Safety Data Sheet: Supplier. ECHA (European Chemicals Agency), LOLI.

Training advice : Training staff on good practice. Manipulations are to be done only by qualified and authorised persons.

Other information : Classification - Assessment method: CLP Calculation method (Article 9).  
Physicochemical hazard assessment: Information given is based on tests on the mixture itself.

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Classification according to Regulation (EC) No. 1272/2008 [CLP]  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.