



MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/17/2012
DATE PRINTED: 04/17/2012

REVISION NUMBER: 2
PREPARED BY: EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **POWER GEL NHO**
PRODUCT CODE: 119323

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 3/3 Fire: 0/0
Reactivity: 0/0 Special/Protective Equipment: CORR/C

NAME OF THE MANUFACTURER: Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624
USA Emergency Phone:
INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Causes burns of the mouth, throat and stomach.
SKIN CONTACT: Causes skin burns which may not be immediately painful or visible. Prolonged contact causes severe burns which may not be immediately painful or visible.
INHALATION: Inhalation of mist will irritate mucous membranes. Inhalation of mist may cause damage to nasal and respiratory passages.
EYE CONTACT: Causes severe eye burns. May cause permanent eye damage.
CHRONIC EFFECTS: Dermatitis.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
POTASSIUM HYDROXIDE 1310-58-3	15 max.	Not applicable	Not applicable
Propylene glycol 57-55-6	1 - 5	Not applicable	Not applicable
Tetrahydrofurfyl alcohol 97-99-4	1 - 5	Not applicable	Not applicable
Butyl carbitol 112-34-5	1 - 5	Not applicable	Not applicable

4. FIRST AID MEASURES

INGESTION: Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.
SKIN: Flush with water for at least 15 minutes while removing all contaminated clothing and shoes. Continue rinsing until "slippery" feeling is gone. Get medical attention if irritation or burns develop.
INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

POWER GEL NHO

4. FIRST AID MEASURES

EYES:	In case of contact, or suspected contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention immediately after flushing.
NOTES TO PHYSICIAN:	None.

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	(F): None to boiling (C): None to boiling
METHOD:	PMCC
FLAMMABLE LIMITS IN AIR	
LOWER (%):	No data
UPPER (%):	No data
SENSITIVITY TO MECHANICAL IMPACT(Y/N):	NO
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA:	Water fog, carbon dioxide, foam, dry chemical.
FIRE FIGHTING PROCEDURES:	Corrosive material. Avoid exposure to mist and splashes. Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires. Cool exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:	Reclaim as much as possible. Flush residue with water.
LARGE SPILLS:	Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS:

Not applicable

ENVIRONMENTAL PRECAUTIONS:

Not applicable

METHODS FOR CLEANING UP:

Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Danger: Corrosive. Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Store only in original container and keep closed. Store in a cool, dry area.

Store in a well ventilated area. Mix only with water.

OTHER PRECAUTIONS:

Do not reuse container. Empty containers may retain product residue, follow MSDS/label precautions even after container is emptied. Read and follow label instructions.

SPECIFIC USE(S):

Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:

Use in a well ventilated area.

RESPIRATORY PROTECTION:

Use approved NIOSH respiratory protection if TLV/PEL exceeded or if over exposure is likely.

PROTECTIVE GLOVES:

Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin contact.

EYE PROTECTION:

Goggles and face shield are recommended to minimize eye contact.

OTHER PERSONAL PROTECTION EQUIPMENT:

Appropriate protective clothing as needed to prevent skin contact. Liquid may penetrate leather shoes and cause delayed burns. Eyewash fountains and safety showers must be easily accessible. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

VENTILATION:

General mechanical or local exhaust as needed to maintain exposure below TLV or PEL.

POWER GEL NHO

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Clear brown liquid. Glycol Ether-like odor.	
BOILING POINT (F):	Not determined	(C) Not determined
VAPOR PRESSURE:	Not determined	
VAPOR DENSITY (AIR=1):	Not determined	
SOLUBILITY IN WATER:	Not determined	
SPECIFIC GRAVITY:	1.14 - 1.15	
VOC Content (%):	Not determined	
EVAPORATION RATE:	Not determined	
PH:	> 13	

10. STABILITY AND REACTIVITY

STABILITY DATA:	STABLE
POLYMERIZATION:	Will Not Occur.
HAZARDOUS DECOMPOSITION:	Oxides of Carbon. Oxides of Nitrogen.
INCOMPATIBILITY (MATERIALS TO AVOID):	Do not mix with: Acids. Neutralizes active ingredients. May react violently with strong acids.
CONDITIONS/HAZARDS TO AVOID:	None.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:	Not Established
EFFECTS OF CHRONIC EXPOSURE:	Not established.
OTHER TOXIC EFFECTS:	Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:	No data at this time
CHEMICAL FATE INFORMATION:	No data at this time.
MOBILITY:	Not applicable.
PERSISTENCE/DEGRADABILITY:	Not applicable
BIOACCUMULATIVE POTENTIAL:	Not applicable
OTHER ADVERSE EFFECTS:	Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS:	Dispose in accordance with Federal, State and Local regulations.
-------------------------	--

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
POTASSIUM HYDROXIDE 1310-58-3	15 max.	Listed	Listed	Listed	Not Listed
Propylene glycol 57-55-6	1 - 5	Listed	Listed	Listed	Not Listed
Tetrahydrofurfyl alcohol 97-99-4	1 - 5	Listed	Listed	Listed	Not Listed
Butyl carbitol 112-34-5	1 - 5	Listed	Listed	Listed	Not Listed

POWER GEL NHO

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
POTASSIUM HYDROXIDE 1310-58-3	15 max.	1000 lb 454 kg	Not Listed	Not Listed
Propylene glycol 57-55-6	1 - 5	Not Listed	Not Listed	Not Listed
Tetrahydrofurfyl alcohol 97-99-4	1 - 5	Not Listed	Not Listed	Not Listed
Butyl carbitol 112-34-5	1 - 5	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
POTASSIUM HYDROXIDE 1310-58-3	15 max.	Listed
Propylene glycol 57-55-6	1 - 5	Listed
Butyl carbitol 112-34-5	1 - 5	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
POTASSIUM HYDROXIDE 1310-58-3	15 max.	Listed
Tetrahydrofurfyl alcohol 97-99-4	1 - 5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
POTASSIUM HYDROXIDE 1310-58-3	15 max.	Listed
Propylene glycol 57-55-6	1 - 5	Listed
Butyl carbitol 112-34-5	1 - 5	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
POTASSIUM HYDROXIDE 1310-58-3	15 max.	Listed
Propylene glycol 57-55-6	1 - 5	Listed
Tetrahydrofurfyl alcohol 97-99-4	1 - 5	Listed
Butyl carbitol 112-34-5	1 - 5	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

***** END OF MSDS *****