



MATERIAL SAFETY DATA SHEET

REVISION DATE: 04/16/2012
DATE PRINTED: 04/16/2012

REVISION NUMBER: 2

1. CHEMICAL PRODUCT

PRODUCT NAME: **RCMO1591 Molybdenum Indicator Solvent**

PRODUCT CODE: RCMO1591

NFPA/HMIS HAZARD CODES(minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 3/3
Reactivity: 0/0 Special/Protective Equipment: None/B

NAME OF THE MANUFACTURER: Rochester Midland Corporation
155 Paragon Drive
Rochester, New York 14624
USA
Emergency Phone: INFOTRAC: 1-800-535-5053
OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: Causes intoxication Nausea. Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions.

SKIN CONTACT: Uncured product contact may irritate the skin.
INHALATION: High vapor levels cause respiratory irritation Harmful if inhaled.
EYE CONTACT: May cause corneal injury. Possible tissue damage.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Methanol 67-56-1	60	200 ppm	200 ppm 260 mg/m ³
ETHANOL 64-17-5	40	1000 ppm	1000 ppm 1900 mg/m ³

4. FIRST AID MEASURES

INGESTION: Get immediate medical attention. Induce vomiting.
SKIN: Remove contaminated clothing. Wash skin with water, using soap if available.
INHALATION: Remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.
EYES: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.
NOTES TO PHYSICIAN: None.

RCMO1591 Molybdenum Indicator Solvent

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:	(F): NA (C): Not determined
METHOD:	None
FLAMMABLE LIMITS IN AIR	
LOWER (%):	NE
UPPER (%):	NE
SENSITIVITY TO MECHANICAL IMPACT(Y/N):	NO
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA:	Water fog, carbon dioxide, foam, dry chemical.
FIRE FIGHTING PROCEDURES:	Fire-fighters should wear self-contained breathing apparatus and full protective clothing when fighting chemical fires.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS:	Pick up with absorbant material.
LARGE SPILLS:	Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

PERSONAL PRECAUTIONS:	Not applicable
ENVIRONMENTAL PRECAUTIONS:	Not applicable
METHODS FOR CLEANING UP:	Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:	Keep container closed when not in use. Store in a cool, dry location away from incompatible materials. Wash thoroughly after handling. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container.
OTHER PRECAUTIONS:	No other spill procedures necessary.
SPECIFIC USE(S):	Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS:	Exhaust ventilation.
RESPIRATORY PROTECTION:	If atmospheric/employee monitoring indicates exposure above the TLV/PEL, use the following respiratory protection: Wear self-contained breathing apparatus.
PROTECTIVE GLOVES:	Chemical resistant gloves are recommended to minimize skin contact.
EYE PROTECTION:	Safety Glasses. Goggles.
OTHER PERSONAL PROTECTION EQUIPMENT:	None known.
VENTILATION:	Use local exhaust ventilation as needed if spill occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Clear. Colorless liquid. Alcohol scent.	
BOILING POINT (F):	NA	(C) Not determined
VAPOR PRESSURE:	NA	
VAPOR DENSITY (AIR=1):	NA	
SOLUBILITY IN WATER:	Not determined	
SPECIFIC GRAVITY:	NA	
VOC Content (%):	NE	
EVAPORATION RATE:	NE	

RCMO1591 Molybdenum Indicator Solvent

9. PHYSICAL AND CHEMICAL PROPERTIES

PH: NE

10. STABILITY AND REACTIVITY

STABILITY DATA: Stable under normal conditions of use and storage.
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: Oxides of Carbon. Irritating fumes.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidents, such as nitric acid, or hypochlorites. Platinum Sodium. bromine pentafluoride Potassium dioxide Acetyl bromide acetyl chloride
CONDITIONS/HAZARDS TO AVOID: Keep away from heat, sparks and flame.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established
EFFECTS OF CHRONIC EXPOSURE: Not established.
OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: Not applicable.
PERSISTENCE/DEGRADABILITY: Not applicable
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Methanol 67-56-1	60	Listed	Listed	Listed	Not Listed
ETHANOL 64-17-5	40	Listed	Listed	Listed	Developmental

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Methanol 67-56-1	60	2270 kg 5000 lb	Not Listed	= 1.0 % de minimis concentration
ETHANOL 64-17-5	40	Not Listed	Not Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Methanol 67-56-1	60	Listed

RCMO1591 Molybdenum Indicator Solvent

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Methanol 67-56-1	60	Listed
ETHANOL 64-17-5	40	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Methanol 67-56-1	60	Listed
ETHANOL 64-17-5	40	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Methanol 67-56-1	60	Listed
ETHANOL 64-17-5	40	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***