

Printing date 08/07/2015 Reviewed on 08/07/2015

1 Identification

- · Product identifier
- · Trade name: Oriole™ Fluorescent Gel Stain 1x
- · Catalog or product number:

1610495, 1610496, 10017286, 1610495EDU, 1610496EDU, 10017283, 10017284, 10040860

- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bio-Rad Laboratories, Life Science Group 2000 Alfred Nobel Drive Hercules, California 94547

(510)741-1000

· Information department:

Technical services, customer support

lsg_techserv_us@bio-rad.com

· Emergency telephone number:

1(800)424-9300 Use only in the event of a CHEMICAL EMERGENCY involving a SPILL, LEAK, FIRE, EXPLOSION or ACCIDENT.

510-741-1000

2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 3 H331 Toxic if inhaled.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Carc. 1A H350 May cause cancer.

STOT SE 1 H370 Causes damage to organs.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC not applicable
- Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of the EU-lists, and expanded upon from company and literature data.

The classification was made according to OSHA 29CFR 1910.1200 and 1910.1030, and is expanded upon from company and/or literature information.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05 GHS06 GHS08

· Signal word Danger

(Contd. on page 2)



Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: Oriole™ Fluorescent Gel Stain 1x

(Contd. of page 1)

· Hazard-determining components of labeling:

methanol

ethanol

phosphoric acid

· Hazard statements

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H370 Causes damage to organs.

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information: Contact with acids may cause release of toxic gases

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with non-hazardous additions.

· Listing of dangerous and non-hazardous components:			
67-56-1	methanol	T R23/24/25-39/23/24/25	20-35%
		F R11	
872-50-4	N-methyl-2-pyrrolidone	T Repr. Cat. 2 R61 Xi R36/37/38	0.01-0.1%
7732-18-5	water		50-100%
. Additional information For the wording of the listed risk phrases refer to section 15			

Additional information For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

- · Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing Induce vomiting and call for medical help.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.



Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: Oriole™ Fluorescent Gel Stain 1x

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: According to product specification
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

67-56-1 methanol

PEL Long-term value: 260 mg/m³, 200 ppm

(Contd. on page 4)



Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: Oriole™ Fluorescent Gel Stain 1x

	(Contd. of page 3)
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm
	Skin
TLV	Short-term value: 328 mg/m³, 250 ppm
	Long-term value: 262 mg/m³, 200 ppm Skin; BEI
7664-3	8-2 phosphoric acid
PEL	Long-term value: 1 mg/m³
REL	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³
TLV	Short-term value: 3 mg/m³
	Long-term value: 1 mg/m³
64-17-	5 ethanol
PEL	Long-term value: 1900 mg/m³, 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1880 mg/m³, 1000 ppm
872-50	0-4 N-methyl-2-pyrrolidone
WEEL	Long-term value: 10 ppm Skin
. Ingrac	lionts with highogical limit values:

· Ingredients with biological limit values:

67-56-1 methanol

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

872-50-4 N-methyl-2-pyrrolidone

BEI 100 mg/L

Medium: urine Time: end of shift

Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Synthetic gloves
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

– US



Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: Oriole™ Fluorescent Gel Stain 1x

(Contd. of page 4)

	(Conta. or)
Physical and chemical prope	erties
Information on basic physical and	d chemical properties
General Information	Tonomour properties
Appearance:	
Form:	Liquid
Color:	Colorless
Odor: Odour threshold:	Alcohol-like Not determined.
pH-value at 20 °C:	1.7
Change in condition	
Melting point/Melting range: Boiling point/Boiling range:	undetermined undetermined
<u> </u>	
Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	455 °C
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44.0 Vol %
Vapor pressure at 20 °C:	128 hPa
Density:	Not determined
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient (n-octanol/wa	nter): Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content:	
Organic solvents:	34.1 %
Water:	64.3 %
Solids content:	0.1 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.



Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: Oriole™ Fluorescent Gel Stain 1x

(Contd. of page 5)

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values for hazardous	components per OSHA criteri	a :
--------------------------------	-----------------------------	------------

67-56-1 methanol

Oral LD50 5628 mg/kg (rat)
Dermal LD50 20000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

64-17-5 ethanol

1

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: Oriole™ Fluorescent Gel Stain 1x

· Other adverse effects No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Hand over to hazardous waste disposers.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, IMDG, IATA	UN2929
UN proper shipping name	
DOT, IMDG, IATA	TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O
ADR	(METHANOL) 2929 TOXIC LIQUID, FLAMMABLE, ORGANIC, N.C
ADK	(METHANOL)
Transport hazard class(es)	
DOT	
Class	6.1 Toxic substances
Label	6.1, 3
ADR	
Class	6.1 Toxic substances
Label	6.1+3
IMDG	
Class	6.1 Toxic substances
Label 	6. 1/3
IATA	
Class	6.1 Toxic substances
Label	6.1 (3)
Packing group	,,
DOT, ADR, IMDG, IATA	II .
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Toxic substances
Danger code (Kemler):	63
EMS Number:	F-E,S-D



Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: Oriole™ Fluorescent Gel Stain 1x

	(Contd. of page
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
Quantity limitations	Void Void
· ADR	
· Excepted quantities (EQ)	Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ) · Excepted quantities (EQ)	100 ml Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN2929, Toxic liquids, flammable, organic, n.o.s. (Methanol, 6.1 (3), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA (Superfund Amendents and Reauthorization Act of 1986 USA)

· Section	1 302/304 (40CFR355.30 / 40CFR355.40):
None of	the ingredients is listed.
· Section	1 313 (40CFR372.65):
67-56-1	methanol
872-50-4	N-methyl-2-pyrrolidone

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · California Proposition 65:
- Developmental Toxicity
 67-56-1 methanol
 64-17-5 ethanol
 872-50-4 N-methyl-2-pyrrolidone
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

· MAK (German Maximum Workplace Concentration)

64-17-5 ethanol

64-17-5 ethanol

5

(Contd. on page 9)

A3



Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: Oriole™ Fluorescent Gel Stain 1x

(Contd. of page 8)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Technical instructions (air):

Class	Share in %
1	20-35
NK	0.1-1.0

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environmental Health and Safety.
- · Contact:

Life Science Group, Environmental Health and Safety, 2000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 741-1000

Diagnostic Group, Environmental Health and Safety, 4000 Alfred Nobel Drive, Hercules, California, 94547: 1(510) 724-7000

- · Date of preparation / last revision 08/07/2015 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity, Hazard Category 3

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Carc. 1A: Carcinogenicity, Hazard Category 1A

STOT SE 1: Specific target organ toxicity - Single exposure, Hazard Category 1

* Data compared to the previous version altered.