according to Regulation (EC) No. 453/2010 **Dental Use**



Date Issued: 10/30/2006

SDS No: 66-001.4 **Date Revised:** 9/3/2014

Revision No: 3

Viscostat® Clear

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Product code **:** VV/73203

: Viscostat® Clear **Product name Product description** : Hemostatic solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Hemostat Solution 1.3. Details of the supplier of the safety data sheet

Manufacturer

Ultradent Products, Inc. 505 W. 10200 S.

South Jordan, UT 84095

Distributor

Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDE@ultradent.com

Emergency Phone: +49(0)2203-35-92-0

1.4. Emergency telephone number

CHEMTREC (NORTH AMERICA) :(800) 424 - 9300

(INTERNATIONAL) :+1(703) 527 - 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 1999/45/EC

Danger symbols : C,Xi R phrases : R36/38

2.2. Label elements

Classification according to Directive 1999/45/EC

Hazard pictogram(s)





R&S statement(s) : R36/38: Irritating to eyes and skin. Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictogram(s)





Corrosive

Exclamation mark

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued: 10/30/2006

SDS No: 66-001.4 **Date Revised:** 9/3/2014

Revision No: 3

Viscostat® Clear

Signal Word : WARNING

Hazard statement(s) : H320: Causes eye irritation.

H315: Causes skin irritation.

2.3. Other hazards

Immediate concerns : Not Applicable

SECTION 3: Composition / information on ingredients

3.1. Substances

Not Applicable

3.2. Mixtures

Chemical Name	CAS	EINECS No.	Wt.%	Classification according to Directive 67/548/EEC
Aluminum Chloride Hexahydrate	7784-13-6	NA	< 46	Xi; R36/37/38; R22

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Following eyes: Flush eye with water for 15 minutes. Get medical attention.

Following skin: Wash with soap and water. Get medical attention if irritation develops

or persists.

Following ingestion: No specific hazards are encountered under normal product use.

Following inhalation: No specific treatment is necessary since this material is not likely to be

hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other

symptoms develop.

4.2. Most important symptoms and effects, both acute and delayed

Eyes : Causes eye irritation.Skin : Causes skin irritation.

Ingestion : None expected for this product.Inhalation : None expected for this product.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician : Not Applicable

SECTION 5: Fire fighting measures

5.1. Extinguishing media

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued: 10/30/2006

SDS No: 66-001.4 **Date Revised:** 9/3/2014

Revision No: 3

Viscostat® Clear

Extinguishing media: Please see Fire Fighting Equipment under Section 5.3.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: None known.

Explosion hazards: Not Determined

Fire explosion: Not Determined

Sensitive to static discharge: Not Determined

Sensitivity to impact: Not Determined

5.3. Advice for firefighters

Fire fighting procedures : General: Evacuate all personnel; use protective equipment for fire-

fighting. Use self-contained breathing apparatus when the product is

involved in fire.

Fire fighting equipment : Water spray only.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General procedures: Refer to Section 8 for Personal Protective Equipment.

6.2. Environmental precautions

Water spill: Do not allow to enter sewers or drains that may lead to waterways.

6.3. Methods and material for containment and cleaning up

Small spill: Wipe up small amounts with chemical resistant or damp rag which is

washed with large amounts of water after each use. After cleaning,

flush away traces with water.

Large spill : After removal, flush contaminated area thoroughly with water.

6.4. Reference to other sections

Reference to other sections : Not Applicable

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling : Use suitable protective equipment.

Storage: See product labeling.

7.2. Conditions for safe storage, including any incompatibilities

Shelf life : See product labeling

7.3. Specific end use(s)

Specific end use(s): Professional Dental Hemostatic Agent

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters: Not Determined

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued: 10/30/2006

SDS No: 66-001.4 **Date Revised:** 9/3/2014

Revision No: 3

Viscostat® Clear

8.2. Exposure controls

Eye/face protection: Wear eye protection

Skin protection : S36/37: Wear suitable protective clothing and gloves.

Respiratory protection : Good general ventilation should be sufficient to control airborne levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gel
Appearance : Clear

Colour : Colorless to slight yellow

Odour : Odorless or no characteristic odor

9.2. Other information

Percent volatile : Not Determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable : Yes

10.2. Chemical stability

Chemical stability: Stable when stored and handled under recommended conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization: No

10.4. Conditions to avoid

Conditions to avoid : Not Determined

10.5. Incompatible materials

Incompatible materials: Not Determined

10.6. Hazardous decomposition products

Hazardous decomposition: None known.

products

• None known

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute

Dermal LD₅₀ : Not Determined

Oral LD₅₀ : Not Determined

Inhalation LC₅₀ : Not Determined

SECTION 12: Ecological information

12.1. Toxicity

according to Regulation (EC) No. 453/2010
Dental Use



Date Issued: 10/30/2006

SDS No: 66-001.4 **Date Revised:** 9/3/2014

Revision No: 3

Viscostat® Clear

Aquatic toxicity (acute)

96-hour LC₅₀ : Not Determined
48-hour EC₅₀ : Not Determined
96-hour EC₅₀ : Not Determined

12.2. Persistence and degradability

Persistence and degradability: Not Determined

12.3. Bioaccumulative potential

Bioaccumulative potential : Not Determined

12.4. Mobility in soil

Mobility in soil : Not Determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

: Not Determined

12.6. Other adverse effects

Environmental data : Not defined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal method: Dispose of in compliance with governmental regulation. (EC

1975L0442-20/11/2003)

SECTION 14: Transport information

14.1. UN number

UN number : 1760

14.2. UN proper shipping name

UN proper shipping name : Corrosive Liquid, N.O.S. (Aluminum chloride hexahydrate mixture)

14.3. Transport hazard class(es)

Primary hazard class/division : 8
Hazard classification : 8

14.4. Packing group

Packing group : III

14.5. Environmental hazards

Marine pollutant #1 : N/A

14.6. Special precautions for user

ADR - road : N/A
RID - rail : N/A
IMDG - sea : N/A

according to Regulation (EC) No. 453/2010 **Dental Use**



Date Issued: 10/30/2006

SDS No: 66-001.4 **Date Revised:** 9/3/2014

Revision No: 3

Viscostat® Clear

IATA - air : N/A

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk : N/A

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: Please refer to Medical Devices Directive 93/42/EEC

15.2. Chemical safety assessment

Chemical safety assessment : Not Determined

SECTION 16: Other information

Relevant R-phrases and/or Hstatements (number and full

text)

Prepared by

Revision summary

: R22: Harmful if swallowed.

R36/37/38: Irritating to eyes, respiratory system and skin.

R36: Irritating to eyes.

: Anu Kattoju

: This SDS replaces the 10/2/2007 SDS. Revised: **Section 1**: GENERAL USE, PREPARED BY, PRODUCT CODE/ PART #. Section 2: EMERGENCY OVERVIEW - IMMEDIATE CONCERNS. Section 3: Wt. %. Section 4: INGESTION, NOTES TO PHYSICIAN, SIGNS AND SYMPTOMS OF OVEREXPOSURE (INGESTION, INHALATION, SKIN). Section 5: EXPLOSION HAZARDS, EXTINGUISHING MEDIA, FIRE

EXPLOSION, FIRE FIGHTING EQUIPMENT, FIRE FIGHTING

PROCEDURES, HAZARDOUS COMBUSTION PRODUCTS, SENSITIVE TO STATIC DISCHARGE, SENSITIVITY TO IMPACT. Section 6: GENERAL PROCEDURES, . Section 7: SHELF LIFE, STORAGE, . Section 8: PERSONAL PROTECTIVE EQUIPMENT - RESPIRATORY . Section 9:

PERCENT VOLATILE. Section 10: CONDITIONS TO AVOID, HAZARDOUS DECOMPOSITION PRODUCTS, INCOMPATIBLE MATERIALS, STABILITY. **Section 11:** ACUTE (ORAL LD₅₀ (rat),

INHALATION LC₅₀ (rat)). **Section 12:** CHEMICAL FATE INFORMATION, DISTRIBUTION, ENVIRONMENTAL DATA,

BIOACCUMULATION/ACCUMULATION, AQUATIC TOXICITY (ACUTE) (

48-HOUR EC₅₀, 96-HOUR EC₅₀), SECTION 12: Ecological

information. Section 14: AIR (ICAO/IATA) - SPECIAL PROVISIONS ROAD AND RAIL (ADR/RID) (UN NUMBER), VESSEL (IMO/IMDG) (SPECIAL PROVISIONS), ROAD AND RAIL (UK only) (CDG) - SPECIAL PROVISIONS. **Section 15:** RoHS, SECTION 15: Regulatory

information. Section 16: GENERAL STATEMENTS.

General statements

: NA = Not Applicable

Manufacturer disclaimer

: FOR DENTAL USE ONLY: Use as directed. The information and recommendations are taken from sources (raw material MSDS(s) and manufacturer's knowledge) believed to be accurate; however, the manufacturer makes no warranty with respect to the accuracy of the information or the suitability of the recommendation and assumes no

according to Regulation (EC) No. 453/2010

Dental Use



Date Issued : 10/30/2006

SDS No: 66-001.4 **Date Revised:** 9/3/2014

Revision No: 3

Viscostat® Clear

liability to any user thereof. Each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.